

# Power Tools



**1000W 4" Angle Grinder (Trigger)**



**LTSG1000PX**

SRP: ₱ 2,995

Power	1000W
Rated Voltage	220-240V
Frequency	50/60Hz
Disc Diameter	4" (100mm)
No load speed	4500-11000RPM
Spindle Thread	M10
With 6 Steps Variable Speed	
With Auxiliary handle	

**650W 4" Angle Grinder Slider**



**LTSG6500S**

SRP: ₱ 2,295

Power	650W
Rated Frequency	60Hz
Rated Voltage	220V
Rated Speed	12,000rpm
Spindle Thread	M10
Max. Disc Diameter	Ø100mm
Weight	1.8kg

**750W 4" Angle Grinder Slider**



**LTSG7500S**

SRP: ₱ 2,595

Power	750W
Rated Frequency	50/60Hz
Rated Voltage	220V
Rated Speed	11,000rpm
Max. Disc Diameter	Ø100mm
Weight	1.4kg

**850W 4" Angle Grinder Slider**



**LTSG8500S**

SRP: ₱ 2,995

Power	850W
Rated Frequency	50/60Hz
Rated Voltage	220V
Rated Speed	11,000rpm
Max. Disc Diameter	Ø100mm
Weight	1.7kg

**760W 4" Angle Grinder**



**SG800X PRO**

SRP: ₱ 1,995

Rated Power	760W
Voltage	220-240V
Frequency	50/60Hz
Disc Diameter	4"(100mm)
No Load speed	12000RPM
Spindle thread	M10
Weight	1.7kg

**750W 4" Angle Grinder**

**SG750X**

SRP: ₱ 1,999

Rated Power	760W
Voltage	220-240V
Frequency	50/60Hz
Disc Diameter	4"(100mm)
No Load speed	12000RPM
Spindle thread	M10
Weight	1.8kg

**13mm Impact Drill w/ DIY Tool Set**



**LTHD650XL**

SRP: ₱ 3,995

Power	650W
Rated Frequency	60Hz
Rated Voltage	240V
Rated No Load Speed	2,800rpm
Chuck Size	13mm
Max. in Wood	25mm
Max. in Steel	10mm
Max. in Masonry	13mm
Weight	1.8kg

**Inclusions**

- > 1pc Plier
- > 1pc Cutter Knife
- > 1pc Measuring Tape
- > 1pc Wrench
- > 1pc Hammer
- > 1pc Bit Holder
- > 1pc Depth Gauge
- > 1pc Chuck Key
- > 8pcs Socket
- > 10pcs Screwdriver Bit
- > 3 Sets of Tox
- > 1pc Handle for Drill
- > 4pcs Wood Drill Bit
- > 5pcs Masonry Drill Bit
- > 5pcs Steel Drill Bit

**13mm 650W Impact Drill**



**LTHD13RE**

SRP: ₱ 2,395

Power	650W
Rated Frequency	50/60Hz
Rated Voltage	220V
Rated No Load Speed	3,000rpm
Drill Capacity	1.5-13mm
Max. in Wood	25mm
Max. in Steel	10mm
Max. in Masonry	13mm
Weight	1.8kg



**16mm 800W Impact Drill**

**LTHD16RE**

SRP: ₱ 2,995



Power	800W
Rated Frequency	60Hz
Rated Voltage	220V
Rated No Load Speed	2,800rpm
Drill Chuck	Key Type
Max. in Wood	25mm
Max. in Steel	10mm
Max. in Masonry	16mm



**10mm 550W Impact Drill**

**LTHD550X**

SRP: ₱ 2,395

Power	550W
Rated Frequency	50/60Hz
Rated Voltage	240V
Rated Speed	2,800rpm
Drill Capacity	10mm
Wood	Ø10mm
Steel	Ø8mm
Max. in Masonry	12mm

**10mm 650W Impact Drill**

**LTHD650X**

SRP: ₱ 2,495



Power	650W
Rated Frequency	50/60Hz
Rated Voltage	240V
Rated No Load Speed	2,700rpm
Drill Capacity	13mm
Max. in Wood	25mm
Max. in Steel	13mm
Max. in Masonry	13mm

**10mm 400W Rotary Drill**

**LTDR400RE**

SRP: ₱ 2,195



Power	400W
Rated Frequency	50/60Hz
Rated Voltage	220V
Rated Speed	4,000rpm
Maximum Diameter	
Wood	Ø15mm
Steel	Ø6.5/10mm
Weight	1.8kg

**750W Impact Drill + 10pcs HSS-CO**

**HD750X**

SRP: ₱ 1,999



Power	750W
Rated Frequency	50/60Hz
Rated Voltage	220-240V
No. load speed RPM	0-2,800rpm
Drill Chuck	13mm
Max. in Wood	25mm
Max. in Steel	10mm
Max. in Masonry	13mm



**Combo Pack HD750X + SG750X**

**CP15-V1**

SRP: ₱ 4,595

SG750X | 750W Angle Grinder

Rated Power	750W
Voltage	220-240V
Frequency	50/60Hz
Disc Diameter	4"(Ø100mm)
No Load speed	12000RPM
Spindle thread	M10
Weight	1.8kg

HD750X | 750W Impact Drill

Power	750W
Rated Frequency	50/60Hz
Rated Voltage	220-240V
No. load speed RPM	0-2,800rpm
Drill Chuck	13mm
Max. in Wood	25mm
Max. in Steel	10mm
Max. in Masonry	13mm

**3-1/4" 650W Planer**

**LTPL6500**

SRP: ₱ 4,195



Power	650W
Rated Frequency	60Hz
Rated Voltage	110-220V
Rated Speed	16,000rpm
Planing Width	82mm
Planing Depth	2MM

**600W 3-1/4" Planer PRO**

**LTPL600X**

SRP: ₱ 2,595



Power	600W
Rated Frequency	50/60Hz
Rated Voltage	220-240V
RPM	16,000/min
Planing Width	82mm (3"-1/4)
Planing Depth	1mm (1/32")

**12.5" Thickness Planer (Spiral Blade)**

**LT2000TPX**

SRP: ₱ 44,995



Power	2000W
Rated Frequency	50/60Hz
Rated Voltage	220-240V
Blade	24 2-sided HSS insert
Cutter Head Speed	10,000rpm
Automatic Feeding Rate	8m/min
Max Depth Cut	2.38mm (3/32")
Max Cutting Width	317.5mm (12-1/2")
Lumber Thickness	3.2mm-152mm (1/8"-6")
NW/GW	31kgs/33kgs

**1/2" 2200W Plunge Router**

**LTPR2200X**

SRP: ₱ 8,995



Power	2200W
Rated Frequency	50/60Hz
Rated Voltage	220-240V
No Load Speed	9,000-22,000rpm
Collet/Nut Size	1/2"
Capacity	Ø12mm

**1/4" 550W Laminate Trimmer**

**LTPR550X**

SRP: ₱ 2,495



Power	550W
Rated Frequency	50/60Hz
Rated Voltage	220-240V
Rated Speed	35,000rpm
Collet/Nut Size	1/4"
Capacity	Ø6mm

**370W Belt & Disc Sander**

**LTSB350X**

SRP: ₱ 12,495



Wattage	370W
Voltage/Frequency	220V/60Hz
Sanding Disc Size	150mm
Sanding Belt Size(WxL)	100x914mm
Sanding Table Size (LxW)	226x160mm
Sanding Disc Speed	3580RPM
Sanding Belt Speed	8.8m/s
Table Angle Range	0-45°
Mitre Guide Angle Range	0-60°
	Right & Left
Dust Port Diameter	63mm

**1200W Belt Sander**

**LTSB4-24X**

SRP: ₱ 9,995



Rated Voltage	220-240V
Rated Frequency	50/60Hz
Rated Power	1200W
Variable Speed	200-400m/min
Sanding Belt Size	100x610mm or 4"x24"

**450W Oscillating Belt/Spindle Sander**

**LTSO450X**

SRP: ₱ 17,995



Voltage	220V-240V
Frequency	50/60Hz
Rated Power	450W
Sanding Belt Speed	1575 FPM
Spindle Speed	2000 RPM
Spindle Oscillation	58 OPM
Table Tilt	0-45°
Table Size	410x426mm
Belt Size	100x610mm
Net Weight	9.5kgs
Gross Weight	14.5kgs

**280W Random Orbital Sander/Variable Speed**

**LTEX310/SV**

SRP: ₱ 3,295



Voltage	220V
Frequency	60Hz
No-load Speed	7000-12500rpm
Wattage	280W
Net Weight	1.60kgs
Sanding Pad	5 inch

**250W 1/4 Sheet Sander**

**LTEX250X**

SRP: ₱ 2,495



Wattage	250w
Voltage/Frequency	220V/60Hz
No load speed	14000rpm
Pad Size	4-1/4"x4-1/2"
	(108x114mm)
Orbit Size	1/16" (1.6mm)
Net Weight	1.4kgs

**125mm Random Orbital Sander**

**LTEX300/VX**

SRP: ₱ 2,995



Wattage	280W
Voltage/Frequency	220V/60Hz
No-load speed:	13,000rpm
Sanding Pad	5 inch
Net Weight	1.7 kgs

**280W 1/3 Sheet Sander**

**LTEX280X**

SRP: ₱ 2,995



Wattage	250w
Voltage/Frequency	220V/60Hz
No load speed	14000rpm
Pad Size	4-1/4"x4-1/2"
	(108x114mm)
Orbit Size	1/16" (1.6mm)
Net Weight	1.4kgs

**1500W Circular Saw**

**LTCS1500X**

SRP: ₱ 4,995



Power	1500W
Rated Frequency	60Hz
Rated Voltage	220-240V
Rated Speed	4,800rpm
Blade Diameter	185mm
Cutting Capacity	3-65mm

**1400W Circular Saw Pro**

**LTCS140X**

SRP: ₱ 5,995



Power	1400W
Rated Frequency	60Hz
Rated Voltage	220-240V
Rated Speed	5,200rpm
Blade Size	185mm
Arbon Size	25.4mm
Max Cutting Depth at 45°	45mm
Max Cutting Depth at 90°	64mm
Net Weight	4.2kgs

**550W Jigsaw, Variable Speed**

**LTSJ60-550X**

SRP: ₱ 3,295



Power	550W
Rated Frequency	50/60Hz
Rated Voltage	220-240V
Rated No Load Speed	3,000rpm
Stroke Distance	19mm
Max. in Wood	55mm
Max. in Steel	6mm
Max. in Masonry	10mm

**710W Jigsaw, Variable Speed**

**LTSJ110-710X**

SRP: ₱ 3,995



Power	710W
Rated Frequency	50/60Hz
Rated Voltage	220-240V
Rated No Load Speed	
Stroke Distance	23mm
Max. in Wood	1500 - 3100rpm
Max. in Steel	10mm
Max. in Masonry	20mm

**12" 1800W Miter Saw (Dual Bevel)**

**LTCM12CX**

SRP: ₱ 19,995



Rated Input Power	1800W
Rated Frequency	50Hz/60Hz
Rated Voltage	220V/240V
Rated Speed	5000r/min
Max Disc Diameter	12" / Ø305mm x Ø30mm x 120T
Miter Range	L/R: 0°-50°
Bevel Range	L: 0°-45°
0°-45°	32 x 10.5cm
45° x 0°	23.5 x 10.5cm
0° x 45°L	34 x 6cm
45° x 45°L	23.5 x 6cm
0° x 45°R	34 x 4cm
45° x 45°R	23.5 x 4cm
Net Weight	22kg

**10" 1800W Miter Saw**

**LTCM1800X**

SRP: ₱ 13,495



Rated Input Power	1800W
Rated Frequency	50Hz/60Hz
Rated Voltage	220V/240V
Rated Speed	5000r/min
Max Disc Diameter	10" / Ø255mm
Miter Range L/R	47°
Bevel Range L	0°-45°
Cutting Capacity 90°	315x90mm
Miter at 45°	215x90mm
Compound 45° Miter and 45° Bevel	210x35mm
Net Weight	9.76kg



**1800W 2 in 1 Miter/Table Saw**

**LTCM12MT**

SRP: ₱ 35,995

Rated Input Power	1800W
Rated Voltage	220-240V
Frequency	50-60Hz
No load Speed	3600rpm
Blade Size	φ305xφ30x72T
Table Size	480x310mm
Max Cutting Capacity	58mm
Miter Saw Table Turning Range	45° Left -60° Right
Miter Saw Bevel Range	0°-45° Left
Max Cutting Capacity 0°x45°	305x90mm
0°x45°	305x60mm
45°x0°	215x90mm
45°x45°	215x60mm
Net Weight	28KG



**2000W Jobsite Table Saw**

**LTST254RPF**

SRP: ₱ 22,995

Blade Arbor Hole Diameter:	25.4mm
Blade Diameter:	255mm
Max Cutting Depth 0° Bevel:	90mm
Max Cutting Depth 45° Bevel:	56mm
Max Rip of Left of Blade:	355mm
Max Rip of Right of Blade:	650mm
Max Bevel:	0° to 45°
No Load Speed:	5000 RPM
Teeth of Blade:	40T
Power:	2000W
Table Size: Width:	583mm
Table Size: Length:	610mm
Net Weight:	20.5Kgs

**2400W 14" Chopsaw**

**LTCS240X**

SRP: ₱ 10,995



Power	2400W
Rated Frequency	60Hz
Rated Voltage	220V
Rated No Load Speed	3,600rpm
Disc	Fiber Reinforced
Disc Diameter	Ø355mm
Center Hole	Ø25.4mm
Cutting Capacity:	
Bar Diameter	Ø51mm
Pipe Diameter	Ø110mm
Rectangle	190x85mm
Square	120x120mm
Weight	17kgs

**5" 1/4HP Bench Grinder**

**LBG125**

SRP: ₱ 3,495



Power	1/4Hp
Rated Frequency	60Hz
Rated Voltage	220-240V
Rated Speed	3,550rpm
Wheel Size	Ø125x16xØ12.7mm

**6" 1/3HP Bench Grinder**

**LBG150**

SRP: ₱ 4,895

Power	1/3Hp
Rated Frequency	60Hz
Rated Voltage	220V
Rated Speed	3,550rpm
Wheel Size	Ø150x16xØ12.7mm

**8" 3/4HP Bench Grinder**

**LBG200**

SRP: ₱ 5,095



Power	3/4hp
Rated Frequency	60Hz
Rated Voltage	220V
Rated Speed	2,950rpm
Wheel Size	Ø200x20x 12.7MM

**Jobsite Table Saw Stand**

**LTST254-S250**

SRP: ₱ 4,395



- > Exclusive compatibility with Lotus Table Saw LTST254RPF.
- > Tool-free, attach and detach saw in seconds.
- > Folds flat, convenient for transport and storage.
- > Solid and durable all steel design with solid center of gravity for maximum performance.
- > Lightweight: only weighs 14lbs to easily carry 1-handed.

**Saw Horse (Jobsite Table)**

**LT700SHX**

SRP: ₱ 4,695



Power	3/4hp
Rated Frequency	60Hz
Rated Voltage	220V
Rated Speed	2,950rpm
Wheel Size	Ø200x20x 12.7MM

**Folding Work Table & Saw Horse**

**FX500 PRO**

SRP: ₱ 10,995



- > Versatile folding work table that may be used as a sawhorse and portable workbench
- > Integrated clamping system holds materials firmly in place.
- > Collapsible workbench design and lightweight for easy transportation & storage.
- > Includes 2 wood support, 2 bar clamps and 2 clamp dogs.

**3D Push Block**

**LT300PBX**

SRP: ₱ 2,699



- > Superior hand protection-prevents kickback.
- > Powerful high-friction durable grip design.
- > Precision cutting and control down to 1/4 inch thin rips. Fully adjustable design.
- > Designed specifically for table saw, router table, jointer & band saw users.
- > 3 directional force for absolute workpiece control

**1/2HP 13MM Drill Press**

**LTDP350VR**

SRP: ₱ 8,895



Power	350W
Rated Frequency	60Hz
Rated Voltage	220V
Drilling Capacity	13mm
Class of Speed	5
Spindle Taper	B16
Table Size	160x160mm
Base Size	290x190mm
Column Diameter	Ø46
Swing (MM)	210

**3/4HP 16MM Drill Press**

**LTDP550VR**

SRP: ₱ 19,995



Power	550W
Rated Frequency	60Hz
Rated Voltage	220V
Drilling Capacity	16mm
Class of Speed	16
Spindle Taper	MT #2
Table Size	250x250mm
Base Size	420x250mm
Column Diameter	Ø72
Swing (MM)	325



**1-1/2HP 20MM Drill Press**



**LTDP900VR**

SRP: ₱ 25,495

Power	900W
Rated Frequency	60Hz
Rated Voltage	220V
Drilling Capacity	20mm
Class of Speed	16
Spindle Taper	MT#2
Table Size	290x290mm
Base Size	460x272mm
Column Diameter	Ø72
Swing (MM)	360

**2HP 32MM Drill Press**



**LTDP1500VR**

SRP: ₱ 65,495

Power	1500W
Rated Frequency	60Hz
Rated Voltage	220V
Drilling Capacity	32mm
Class of Speed	12
Spindle Taper	MT#4
Table Size	420x480mm
Base Size	560x450mm
Column Diameter	Ø92
Swing (MM)	510

**200A Inverter Welding Machine PRO**



**LT200SXT**

SRP: ₱ 12,995

Power	200A
Input Voltage	AC220V±15%
Rated Frequency	50/60Hz
Rated Duty Cycle	60%
Rated Input Capacity	8.4kva
Rated Output Voltage	26.4V
Diameter of Electrode	2.0-4.0mm
Current Range	20-200A
Weight	7.8kgs
No. Load Voltage	70V

**300A Arc Inverter Welding Machine**



**LT300SXT-VRD**

SRP: ₱ 21,995

Rated Power	300A
Input Voltage	AC220V±15%
Rated Frequency	50/60Hz
Rated Duty Cycle	60%
No Load Voltage	70V
Rated Input Capacity	10kva
Current Range	200-300A
Rate Output Voltage	27.5
Weight	13kgs

**200A Inverter Welding Machine**



**LT200ESX**

SRP: ₱ 6,750

Rated Max. Current	200A
Rated Frequency	50/50Hz
Input Voltage	AC220V±15%
Rated Duty Cycle	50%
Rated Input Capacity	5.6kva
Diameter of Electrode	Ø2.0-2.5mm
Weight	2.8kgs

**250A Arc Inverter Welding Machine**

**LT250DX**

SRP: ₱ 4,995

Rated Power	250A
Input Voltage	AC220V-240V
Rated Frequency	50/60Hz
No-load Voltage	60V
Current Arrange	20-250A
Applied Welding Rod	1.6-3.2mm
Insulation Class	H
Case Protection Class	IP21S
Net Weight	3kgs
Gross Weight	3.5kgs



**300A Inverter Welding Machine**



**LT300DXT**  
SRP: ₱ 6,495

Rated Power	300A
Input Voltage	220V 1 Phase
Rated Frequency	50/60Hz
Rated Duty Cycle	60%
Rated Input Capacity	5.6Kva
Output Current	20-300A
Maximum Applicable Rod	2.4MM or 3/32"

**300A Inverter Welding Machine**



**LT300ESX**  
SRP: ₱ 11,995

Rated Max. Current	300A
Rated Frequency	50/60Hz
Input Voltage	AC220V±15%
Rated Duty Cycle	20%
Rated Input Capacity	9kva
Rated Output Voltage	27.2V
Diameter of Electrode	Ø2.0-3.2mm

**200A Mig Inverter Welding Machine**



**LT200MGX**  
SRP: ₱ 7,495

Rated Voltage	220-240V 1 Phase
Rated Frequency	50/60Hz
Rated Input Power	MIG 4.3KVA
No-load Voltage	60V
Output Current	20-200A
Welding Wire Type	Flux Cored

Welding Wire Size	0.8 -1.0mm
Welding Wire Max Weight	1KG
Insulation Class	IP21S
Protection Class	H
Net Weight	4.6KGS
Gross Weight	5.4KGS

**250A Mig Inverter Welding Machine**



**LT250MXT**  
SRP: ₱ 24,995

Power	250A
Input Voltage	AC220V±15%
Rated Frequency	60Hz
Rated Duty Cycle	60%
No Load Voltage	60V
Rated Input Capacity	6kva
Feeding Speed	2-15m/min
Mig Wire Diameter	1.0 or 1.2
Flux Core Wire Dia.	0.8 or 1.0mm
Rated Output Voltage	22V
Spool	5 or 15kgs

**MIG + MMA + TIG Welding Machine**

**LT255MTX**  
SRP: ₱ 7,995



Rated Input Voltage	AC 220V-240V
Rated Frequency	50/60Hz
Rated Input Capacity	4.3kva
No Load Voltage	56V
Current Range	MIG 50-250A MMA 20-250A TIG 10-250A
Duty Cycle	60%
Welding Wire Capacity (MIG)	0.8-1.0mm
Applied Welding Rod (MMA)	1.6-3.2mm
Insulation Class	H
Case Protection Class	IP21S
Net Weight	5.3kgs
Gross Weight	5.8kgs



**40A Plasma Cutter PRO**



**LT40CXT**  
SRP: ₱ 19,995

Power	40A
Input Voltage	AC220V±15%
Rated Frequency	50/60Hz
No Load Voltage	250V
Air Pressure	5kgs
Arc Way	Touch
Rated Input Capacity	6.3kva
Current Range	10-40A
Cutting Capacity	1-10mm
Rated Duty Cycle	60%

**60A Plasma Cutter PRO**

**200A TIG + Stick Inverter Welding Machine**



**LT60CXT**

SRP: ₱ 29,995

Power	60A
Input Voltage	AC220V±15%
Rated Frequency	50/60Hz
Rated Duty Cycle	60%
No Load Voltage	250V
Air Pressure	5kgs
Arc Way	Touch
Rated Input Capacity	7.5kva
Current Range	20-60A
Cutting Capacity	1-20mm



**LT200TD**

SRP: ₱ 17,495

Power	200A
Input Voltage	220V 1 Phase
Rated Frequency	50/60Hz
Rated Duty Cycle	60%
Rated Input Capacity	3.9kva
Rated Output Current	20-200A
Power Factor	0.93

**20V Max Impact Drill With Kit**

**20V Max Angle Grinder**

**CXHD20V-80BL**

SRP: ₱ 9,995

Rated Voltage:	20V
Battery Capacity:	2Ah/4Ah Li-ion
No Load Speed:	0-400/0-1600rpm
Impact Rate:	0-7500/0-24000 bpm
Max. Torque:	50N.m
Torque Ranging Setting	20+1+1+1
Chuck Size:	13mm
Weight:	1.1KG
Max Drilling Diameter:	Concrete 13mm Steel 10mm Wood 30mm

**CXSG20V-100BL**

SRP: ₱ 4,195



Rated Voltage	20V
Battery Capacity	2Ah/4Ah Li-ion
Rated Speed	3500-8500rpm
Thread Size:	M10
Disc Size	100mm
Net Weight	1.5kg

**20V Max Impact Driver**

**20V Max Impact Wrench with Kit**

**CXDR20V-310BL**

SRP: ₱ 3,995

Rated Voltage	20V
Battery Capacity	2Ah/4Ah Li-ion
No Load Speed	0-1700/0-2400/0-3200rpm
Impact Rate	0-1800/0-3000/0-4000bpm
Max Torque	230N.m
Chuck Capacity	1/4" Hex Drive
Net Weight	1.0kg

**CXDS20V-310BL/2**

SRP: ₱ 9,995

Rated Voltage	20V
Battery Capacity	2Ah/4Ah Li-ion
No Load Speed	0-1400/0-2000/0-2600rpm
Impact Rate	0-1800/0-2600/0-3300bpm
Max Torque	450N.m
Chuck Capacity	1/2in
Net Weight	1.0kg



**20V Max Jobsite Fan**

**CXSL20VLI**

SRP: ₱ 3,595



Wattage	25W
Power Source	20V battery pack
	12V Car cigarette plug
	100V-240V to DC adaptor
No. Load Speed	High/Mid/Low- 1700/ 1500/1200 RPM
Air Volume	High/Mid/Low-270CFM/ 240CFM/180CFM
Runtime	High/Low-7H/10 H (@20V 4Ah battery) High/Low-3.5H/5H (@20V 2Ah battery)
NW:	2.0Kg (baretool)

**20V Max Glue Gun**

**CXGP20VLI**

SRP: ₱ 1,695



- > Maximum Control
- > Safety Indicators
- > Long run time
- > Comfortable ergonomic grip
- > 20V Compatible

**2KG 20V Max Rotary Hammer**

**CXBH20VLI**

SRP: ₱ 7,995



Tool Holder:	SDS Plus
Weight:	2KG
Max Drilling Diameter:	Concrete 26mm
	Steel 13mm
	Wood 30mm
Rated Voltage:	20V
Battery Capacity:	2Ah/4Ah Li-ion
No Load Speed:	0-1000rpm
Impact Rate:	0-5000bpm
Max Impact Power:	2.6J



**12V Drill/Driver + 9pcs Bits**

**LTDD12-30VLI**

SRP: ₱ 1,999

Input Voltage	12V DC
No-load Speed	0-700rpm
Max Torque	16N.m
Torque Setting	19+1
Chuck Capacity	10mm
Net Weight	0.8kg
Battery Voltage	12V DC
Battery Capacity	1500MAH
Battery Type	Lithium Ion
Batery Capacity	1500MAH
Net Weight	0.2kg

**3.6V Screwdriver Pen**

**LTDR4XP**

SRP: ₱ 2,295



Battery Voltage	3.6V
Battery Capacity	1500mah
No-Load Speed	300r/min
Max Torque	5.0N.m/2.5N.m
Chuck Capacity	6.35mm (1/4") Inner Hex
Net Weight	0.3kg

**3.6V Glue Gun**

**LTGP4VLI**

SRP: ₱ 1,795



Rated Voltage/Battery	3.6V DC Li-ion
Battery Capacity	1300mAh
Glue Stick Size	7.0-7.2mm diameter
Heat Up	15 seconds
Temperature up to	130°
Net Weight	0.24kg

**3.6V Rotary Tool**



**LTDW41X**

SRP: ₱ 2,495

Rated Voltage	3.6V DC
Battery Capacity	2Ah Li-ion
5 Setting Speed (w/ 5 LED Speed Indication)	5000/10000 15000/20000
	25000 RPM
Chuck Size	Ø3.2mm
Charging Time	3hours
With Type-C USB Charging Cable	

**3.6V Water Sprayer**



**LTWP35X**

SRP: ₱ 1,795

Rated Voltage	3.6V DC
Battery Capacity	2Ah Li-ion
Working Pressure	>35PSI
Flow Rate	280-460/min
Spray Distance	1.3mm
Tank Volume	1L
Working Capacity	32 Tanks once Fully Charge
Charging Time	3hours
Net Weight	345g
With Type-C USB Charging Cable	

**10.8V Mini Vacuum**



**X12 Pro**

SRP: ₱ 3,995

Input Voltage	5V, 2A / 9V, 2A
Rated Voltage	10.8V
Rated Power	120W
Suction Power	13kPa
Dust Cup Capacity	100mL
Double Filtration	Stainless Mesh Filter F7 HEPA Filter
Battery Capacity	2000mAh
Run Time	10 Minutes@High Speed 30 Minutes@Low Speed
Charging Time	3H@DC5V 2A 2H@DC6V 2A
Net Weight	0.61kg

**Cordless Stick Vacuum**



**X30 PRO**

SRP: ₱ 15,999

Rated Input	100-240V-50/60H 0.5A
Rated Output	30V, 500mA
Battery Voltage	25.9V
Battery Capacity	2500mAh
Charging Time	5 Hours
Rated Power	350 watts
Dust Cap Capacity	500ml
Suction Power	25kPa / 150AW
Filtration System	Cyclone Technology + Stainless Mesh + H13 HEPA Filter
Run Time	Up to 70 minutes
Motor Technology	Lotus® 3.0 Brushless DC High-speed Motor

**20V Max Work Light**



**CXLP20VLi**

SRP: ₱ 3,395

Power Source	18V Battery Pack 100V-240V to DC Adaptor
Wattage	30W/ 20W/ 10W
Lumens	2700LM/2000LM/ 1100LM
Run Time	2.5H/3.5H/7H (@18V 4Ah Battery) 1.2H.1.7H/3.5H (@18V 2Ah Battery)
Machine Size	25x21x26cm
NW	1.7kgs (BARE TOOL)

**20V Max 2.0Ah Battery Pack**



**CXBP20V-2 PRO**

SRP: ₱ 2,295

Rated Voltage	18V
Battery Capacity	2.0Ah
Battery Type	Lithium Ion
Type	Compact
Weight	0.64kg

**20V Max 4.0Ah Battery Pack**

**Battery Adapter (CX20 Battery - X18 System)**



**CXBP20V-4 PRO**

SRP: ₱ 5,995

Rated Voltage	18V
Battery Capacity	4.0Ah
Battery Type	Lithium Ion
Type	Compact
Weight	0.64kg



- > Ensure safe and effective transition from CX20 to X18 System.
- > Compact and lightweight Hassle-free interoperability within

SKU	BOX / CTN	SRP
XT100	1/200	₱ 470

**Battery Adapter ( X18 System - CX20 Battery)**

**20AMP Battery Charger**

- > Ensure safe and effective transition from X18 to CX20 .
- > Compact and lightweight
- > Hassle-free interoperability within the lotus cordless system.

**LTBL20X**

SRP: ₱ 4,295



Power Voltage	220V-240V
Frequency	60Hz
AC Power Input	12V/180W 24V/240W
Charging Current	12V/9A 24V/7A
Battery Capacity	20-200Ah
N.W/G.W	4.6KG/5.1KG

SKU	BOX / CTN	SRP
XT200	1/200	₱ 470

**30AMP Battery Charger**

**50AMP Battery Charger**

**LTBL30X**

SRP: ₱ 4,795



Power Voltage	220V-240V
Frequency	60Hz
AC Power Input	12V/300W 24V/440W
Charging Current	12V/15A 24V/13A
Battery Capacity	20-300Ah
N.W/G.W	6KG/6.5KG

**LTBL50X**

SRP: ₱ 6,495



Power Voltage	220V-240V
Frequency	60Hz
AC Power Input	12V/600W 24V/1000W
Charging Current	12V/28A 24V/25A
Battery Capacity	30-400Ah
N.W/G.W	9.2KG/9.7KG



**350AMP Battery Charger**



**LTBL350X**  
SRP: ₱ 10,495

Power Voltage	220V-240V
Frequency	60Hz
AC Power Input	12V/600W 24V/1000W
Charging Current	12V/28A 24V/25A
Battery Capacity	20-300Ah
Start Current	200A
Dimension	310x260x600mm
N.W/G.W	17KG/18KG

**450AMP Battery Charger**



**LTBL450X**  
SRP: ₱ 10,995

Power Voltage	220V-240V
Frequency	60Hz
AC Power Input	12V/700W 24V/1100W
Charging Current	12V/35A 24V/35A
Battery Capacity	30-450Ah
Start Current	300A
Dimension	310x260x600mm
N.W/G.W	19KG/20KG

**650AMP Battery Charger**



**LTBL650X**  
SRP: ₱ 12,995

Power Voltage	220V-240V
Frequency	60Hz
AC Power Input	12V/800W 24V/1400W
Charging Current	12V/40A 24V/40A
Battery Capacity	50-750Ah
Start Current	400A
Dimension	310x260x600mm
N.W/G.W	21KG/22KG

**1000W 4kg Rotary Hammer**



**LTBH4-28DRE**  
SRP: ₱ 8,995

Rated Voltage	220V
Frequency	60Hz
Rated Power	1000W
No Load Speed	600-1000/min
Impact Rate	2800-4320BPM
Impact Energy	3.5J

Tool Holder Type	SDS Plus
Max. Drilling Capacity	
Drill Bit	28mm
Core Bit	82mm
Optimum Drilling Diameter in	
Concrete	8mm-18mm
Net Weight	4.5kg

**7kg Combination Hammer**



**LTBH7-45D**  
SRP: ₱ 28,995

Rated Voltage	220V
Frequency	60Hz
Rated Power	1350W
No Load Speed	250-500/min
Impact Rate	1900-3000BPM
Impact Energy	2-14J

Tool Holder Type	SDS Max
Max. Drilling Capacity	
Drill Bit	48mm
Core Bit	120mm
Optimum Drilling Diameter in	
Concrete	22mm-40mm
Net Weight	7.4kg

**850W 3-Mode Rotary Hammer**



**LTBH3-26DRE**  
SRP: ₱ 5,995

Rated Power	850W
Rated Voltage	220V-240V
Rated Frequency	50/60Hz
No-load Speed	0-1180rpm
Impact Rate	0-5100bpm
Max Drilling Diameter	26mm
Impact Energy	3J

**650W 2-Mode Rotary Hammer**

**LTBH2-22DRE**

SRP: ₱ 4,995



Rated Power	650W
Rated Voltage	220V-240V
Rated Frequency	50/60Hz
No-load Speed	0-1000rpm
Impact Rate	0-3900bpm
Max Drilling Diameter	22mm
Impact Energy	2.5J

**16KG 17MM Demolition Hammer w/ AVC**

**LTSH6EX**

SRP: ₱ 8,800



Rated Power	1300W
Power Voltage	220V-240V
Rated Frequency	50Hz/60Hz
Impact Rating	3900BPM
Impact Energy	20J
Tool Holder	SDS HEX 17mm
Net Weight	6.8kgs

**16KG 30MM Hex Demolition Hammer**

**LTSH16EX**

SRP: ₱ 16,995



Power	1900W
Impact Rating	2000BPM
Rated Voltage	220V
Rated Frequency	60Hz
Impact Energy	55J
Tool Holder	HEX 30mm
Net Weight	16kgs

**Laser Distance Measure**

**LM50X**

SRP: ₱ 2,199



Measuring Range	0.05m-50m
Measuring Accuracy	±2mm
Smallest Unit Displayed	1mm
Laser Class	II, <1mW
Operating Temperature	0-40°C
Protection Class	IP 54
Net Weight	85g

**30KG Digital Weighing Scale**

**DS30X**

SRP: ₱ 2,195



Max Weight	30kg
Graduation	2g
Plate size	335x240mm
Whole scale size(LXWXH)	335x330x130mm
AC 110V-220V power and built-in rechargeable battery	4V 4Ah
Accumulate Operation	(0-99)

**600W Paint Sprayer/Station**

**LTPT600PSX**

SRP: ₱ 3,795



Power	600W
Rated Frequency	50Hz/60Hz
Rated Voltage	220V/240V
Rated Flow (Water)	10000ml/min
Max. Viscosity	60 DIN-s
Nozzle Size	Ø2.5mm
Air Pressure	0.1-0.3 Bar
Paint Cup Capacity	900ml
Air Hose Length	1.8m
Cordset	H05W-F
	2X0.75mm <sup>2</sup>
	2.0mm
	CCC Plug
Net Weight	11kgs

**800ML Paint Sprayer**



**LTSP500X**  
SRP: ₱ 3,150

Rated Power	400W
Voltage/Frequency	220V/60Hz
Paint Cup Capacity	900ML
Air Pressure	0.1-0.2Bar
Water Flow Rate	700ml/min
Max Viscosity	60DIN-s
Nozzle Size	2.5mm
Net Weight	1.4kg

**2000W Heat Gun with Accessories**



**LTXH2000X**  
SRP: ₱ 1,995

Rated Power	2000W
Rated Voltage	220V
Rated Frequency	60Hz
Air Temp	Air Flow
40°C - 450°C	250L/min
90°C - 600°C	500L/min
Net Weight	0.8kg

**Rotary Tool Kit w/ 211pcs Accessories**



**LRT170C**  
SRP: ₱ 3,095

Rated Voltage	170W
Rated Frequency	60Hz
Rated Power	170W
Collect Size	Ø1.6mm
	Ø2.3mm
	Ø3.2mm
No Load Speed	10000-33000rpm
Machine Weight	0.6kg

**25M Cable Reel**



**LTEX25CR**  
SRP: ₱ 3,999

- Wide range of cable reels applicable with various applications for indoor and outdoor use.
- Ergonomic design for easy carrying and winding.
- Handle allows easy transportation.
- Open reel with winding knob.
- Extension leads are available in a variety of metre lengths.
- Thermal cut-out prevents risk of fire due to temperature rise caused by power overload.

**50M Cable Reel**



**LTEX50CR**  
SRP: ₱ 6,599

- Wide range of cable reels applicable with various applications for indoor and outdoor use.
- Ergonomic design for easy carrying and winding.
- Handle allows easy transportation.
- Open reel with winding knob.
- Extension leads are available in a variety of metre lengths.
- Thermal cut-out prevents risk of fire due to temperature rise caused by power overload.



900W 6" Polisher (Dual Action)



**SP150X/DA**

SRP: ₱ 6,995

Rated Voltage:	220V
Rated Frequency:	60Hz
Input Power:	900W
No Load Speed:	2100-5000rpm
Pad Size:	150mm (6")
Orbit Size:	21mm

1300W 180MM Polisher/Sander



**SP180X**

SRP: ₱ 6,995

Rated Voltage:	220-240V
Rated Frequency:	50/60Hz
Input Power:	1300W
No Load Speed:	600-3000rpm
Pad Size:	180mm
Thread Size:	M14

600W Blower



**LTBL600X**

SRP: ₱ 2,495

Rated Input Power	600W
Rated Frequency	50/60Hz
Rated Voltage	220V
High Air Volume	3500/min
Max Blowing Rate	0-3.5m <sup>3</sup> /min
Net Weight	1.6kg

124W Air Mover



**LT125ACX**

SRP: ₱ 5,295

Input Voltage	124W
Rated Voltage	220V-240V
Rated Frequency	50Hz/60Hz
Air Flow Rate	15m <sup>3</sup> /min

8" Blower/Ventilator



**LT20SHX**

SRP: ₱ 6,695

Power	145W
Volts	220-240V
Frequency	50/60Hz
Cord	0.50mm <sup>2</sup>
Switch	Single
Size	8" (200mm)
Air Volume	25m <sup>3</sup> /min
No Load Speed	2850RPM
Weight	6kgs

10" Blower/Ventilator



**LT25SHX**

SRP: ₱ 6,895

Power	200W
Volts	220-240V
Frequency	50/60Hz
Cord	0.50mm <sup>2</sup>
Switch	Single
Size	10" (250mm)
Air Volume	43m <sup>3</sup> /min
No Load Speed	2850RPM
Weight	8kgs

**12" Blower/Ventilator**



**LT30SHX**  
SRP: ₱ 7,295

Power	330W
Volts	220-240V
Frequency	50/60Hz
Cord	0.50mm <sup>2</sup>
Switch	Single
Size	12" (300mm)
Air Volume	65m <sup>3</sup> /min
No Load Speed	2850RPM
Weight	9.5kgs

**26" 230W Stand Fan**



**LT65SFX**  
SRP: ₱ 7,495

Power	230W
Volts	220-240V
Frequency	50/60Hz
Cord	0.75mm <sup>2</sup>
Switch	three
Size	205m <sup>3</sup> /min
Air Volume	0.75mm <sup>2</sup>
No Load Speed	1350RPM
Weight	11.5kgs

**30" 280W Stand Fan**



**LT75SFX**  
SRP: ₱ 8,495

Power	280W
Volts	220-240V
Frequency	50/60Hz
Cord	0.75mm <sup>2</sup>
Switch	three
Size	30" (750mm)
Air Volume	290m <sup>3</sup> /min
No Load Speed	1350RPM
Weight	14.5kgs

**26" 230W Wall Fan (Industrial)**



**LT65WFX**  
SRP: ₱ 6,895

Power	230W
Volts	220-240V
Frequency	50/60Hz
Cord	0.75mm <sup>2</sup>
Switch	three
Size	26" (650mm)
Air Volume	205m <sup>3</sup> /min
No Load Speed	1350RPM
Weight	11.5kgs

**2 Stroke Brush Cutter**



**LT40BX/2S**  
SRP: ₱ 9,999

Rated Power	1.45/7000kw/r/min
Displacement	40.2cc
Drive System	Auto Centrifugal Slutch Spiral bevel gear
Reduction Ratio	14:19
RPM	5100
Standard Blade (MM)	Ø25mm
Size (LXWXH) (MM)	1662x124x103mm

**4 Stroke Brush Cutter**



**LT35BX/4S**  
SRP: ₱ 16,199

Max. Speed Gear Shaft/Engine (RPM)	7000/9000
Idle Speed (RPM)	2500±15
Remote Type	Automatic centrifugal clutch Spiral bevel gear
Drive shaft	
Vibration (M/S)	2500±15
Sound Pressure [dB(A)]	≤102
Sound Power [dB(A)]	≤120
Reduction Ratio	17:22
Type of Handle	Double grip
Weight	6.9kg

**350W Grass Trimmer**



**ST350X**  
SRP: ₱ 1,995

Rated Voltage	220V-60Hz
Input Power	350W
No Load Speed	1200rpm
Cutting Diameter	Ø250mm
Cutting Line Diameter	Ø1.2mm
Cutting System	Tap and go
	double nylon
	line automatic

**1.4KW Pressure Washer**



**LTPW1400X**  
SRP: ₱ 6,995

Power	1400W
Rated Frequency	60Hz
Rated Voltage	220V
Rated Pressure	7MPa (70bar)
Max. Pressure	10.5MPa (105bar)
Flow Rate	5.5L/min
Max. Flow Rate	6.8L/min
Weight	7kgs

**1.4KW Pressure Washer**



**LTPW140CX**  
SRP: ₱ 6,995

Voltage	220V-240V
Frequency	50/60Hz
Rated Pressure	80 Bar
Max Pressure	110 Bar
Rated Power	1400W
Max Flow	6.5L/min
Max Water Inlet Pressure	12 Bar
Max Water Intel Temperature	50°C

**2KW Pressure Washer**



**LTPW2000 PRO**  
SRP: ₱ 9,995

Input Power	2000W
Rated Voltage	220V-240V
Rated Frequency	50/60Hz
Working Pressuret	100bar
Max Pressure	150bar
Flow Rate	6.0L/min
Max Flow Rate	7.8L/min
Max Water Temperature	50°

**Foam Blaster**



**LTPW1400X-OC39**  
SRP: ₱ 650

- > Made of high quality durable plastic.
- > Dual Action Spraying and Foaming for Efficient Cleaning.
- > 750mL Bottle Capacity with Surface measurement.

**800W Handy Vacuum**



**LBVC2588**  
SRP: ₱ 3,495

Power	800W
Rated Frequency	60Hz
Rated Voltage	220V
Thermal Protection	105°C
Material	ABS Plastic
Dust Capacity	0.5L
Air Flow	840 l/min



**10L 1000W Wet/Dry Vacuum**

**LT1000DWX/10**

SRP: ₱ 4,195



Power	1000W
Rated Frequency	50/60Hz
Rated Voltage	220V/240V
Tank Capacity	10L
Pressure	12KPa
Sound Level	80dB(A)
Hose Length	1.8m
Cord Length	2.5m
Weight	3.9kg

**20L 1200W Wet/Dry Vacuum**

**LT1200DWX/20**

SRP: ₱ 5,995



Power	1250W
Rated Frequency	50/60Hz
Rated Voltage	220V/240V
Tank Capacity	20L
Pressure	18KPa
Sound Level	75dB(A)
Hose Length	1.5m
Cord Length	3m
Weight	5.50kgs

**3Gal 1100W Wet/Dry Vacuum**

**LT1828P-3GL**

SRP: ₱ 4,750



Power Supply	220V-240V
Rated Frequency	50/60Hz
Max. Power	1100W
Tank Capacity	10 Liter / 3 Gallon
Kilo Pascal	16kpa

**4L 1100W Wet/Dry Vacuum**

**LT1000DWX/4**

SRP: ₱ 3,495



Max. Power	1100W
Power Supply	220V-240V
Rated Frequency	50/60Hz
Tank Capacity	5.7L
Net Weight	3KG

**6gal Wet/Dry Vacuum**

**LT18128B-6GL**

SRP: ₱ 6,600



Power Supply	240V
Rated Frequency	50/60Hz
Max. Power	1200W
Tank Capacity	23 Liter / 6 Gallon
Kilo Pascal	15kpa

**8gal Wet/Dry Vacuum PRO**

**LT800DWX/8G**

SRP: ₱ 8,995



Max Power	1200W
Tank Capacity	8 GAL
Power Supply	220V - 240V
Rated Frequency	50/60Hz
Air Flow	100cfm

**20L 1250W Wet/Dry Vac+Socket**

**LT1250DWX/20 ASX**

SRP: ₱ 8,495



Power	1250W
Rated Frequency	50/60Hz
Rated Voltage	220V/240V
Tank Capacity	20L
Pressure	18KPa
Sound Level	75dB(A)
Hose Length	2.1m
Cord Length	3m
Weight	6kgs

**ATOM 4L Wet/Dry Vacuum Cleaner**

**69-086369**

SRP: ₱ 3,495



Rated Voltage:	220-240V
Rated Frequency:	50/60Hz
Rated Power: Max.	1000W
Tank Capacity:	4L
Airflow:	Max 50CFM
Power Cord Length:	3m

**ATOM 10L Wet/Dry Vacuum Cleaner**

**69-086383**

SRP: ₱ 5,695



Rated Voltage:	220-240V
Rated Frequency:	50/60Hz
Rated Power: Max.	1200W
Tank Capacity:	10L
Airflow:	Max 60CFM
Power Cord Length:	4m

**PRO 20L Wet/Dry Vacuum Cleaner**

**69-002000**

SRP: ₱ 6,195



Rated Voltage:	220-240V
Rated Frequency:	50/60Hz
Rated Power: Max.	1400W
Tank Capacity:	20L
Airflow:	Max 65CFM
Power Cord Length:	5m

**1/2" Air Impact Wrench (Mini)**

**LT12MCX**

SRP: ₱ 4,295



Square Drive Head	1/2" (13mm)
Capacity Bolt Size	5/8" (16mm)
No Load speed 3/7"	7800RPM
Max Torque	810ft/lb (1100N.m)
Working Pressure	90 PSI (6.3Bar)
Air Inlet Size	1/4"
Air Hose Required	3/8"
Weight	2.39kgs
Box Dimension	212 x 198 x 75mm

**1/2" Air Impact Wrench PRO**

**LT12CX**

SRP: ₱ 5,495



Square Drive	1/2"
Capacity Bolt Size	5/8" (16mm)
Rated No Load Speed	7500rpm
Max. Torque	450f/lb (610Nm)
Avg. Air Consumption	6.5cfm (184l/min)
Air Inlet Size	1/4"
Air Hose	3/8"
Sound Pressure Level	84.4dB(A)
Sound Power Level	95.4dB(A)
Net Weight	2.1kgs
Operating Pressure	90psi (6.3bar)

**1/2 D Pneumatic Impact Wrench + Kit**



**Inclusions**  
SRP: ₱ 5,295

- > 1pc 1/2" Air Impact Wrench
- > 10pcs Impact Sockets
  - > 8mm
  - > 10mm
  - > 11mm
  - > 13mm
  - > 14mm
  - > 17mm
  - > 19mm
  - > 22mm
  - > 24mm
  - > 27mm
  - > 1pc Hex Wrench
  - > BSP Nipple

Square Drive	1/2"
Capacity Bolt Size	5/8" (16mm)
No load Speed	75000rpm
Max . Torque	420ft/lb (567nm)
Avg. Air Consumption	5cfm (142.5l/min)
Operating Pressure	90psi (6.3bar)
Air Intel Size	1/4"
Air Hose	3/8
Sound Pressure Level	92.6dB (A)
Sound Power Level	103.6dB (A)
Weight	2.6kgs

**F30 Pneumatic Brad Nailer**



**LTGG300**  
SRP: ₱ 1,695

Tool Length	245mm
Tool Height	182mm
Tool Width	60mm
Tool Weight (w/o Fastener)	1.2kgs
Max Permissible Operating Pressure	120PSI
Recommended Operating Pressure	70-110PSI
Magazine Load Capacity	100pcs brad nails
Fastener Gauge	18GA Brad Nails
Fastener Length	10mm, 15mm, 20mm 25mm, 30mm

**F50 Pneumatic Brad Nailer**



**LTGG500**  
SRP: ₱ 2,995

Tool Length	255mm
Tool Height	245mm
Tool Width	55mm
Tool Weight (w/o Fastener)	1.51kgs
Max Permissible Operating Pressure	115PSI
Recommended Operating Pressure	75-100PSI
Magazine Load Capacity	100pcs brad nails
Fastener Gauge	18GA Brad Nails
Fastener Length	10mm, 15mm, 20mm 25mm, 30mm and 35mm, 45mm, 50mm

**Pneumatic Stapler #1022**



**LTGG400**  
SRP: ₱ 2,295

Fastener Size	Ga20 Wide Crown
Dimension	54x186x241mm
Required Pressure	70-110PSI (4.8-7.5bar)
Max. Pressure	120PSI (8.3bar)
Nail Capacity	100pcs
Net Weight	1.25kgs

**1.5HP 6L Air Compressor**



**USC6-600**  
SRP: ₱ 18,995

Rated Power	850W
Rated Horsepower	1.5HP
Voltage/Frequency (HP)	220V/60Hz
Working Pressure (bar)	6.2-8bar
Working Pressure (PSI)	90-125PSI
FAD	60L/min
PD	125 L/min
Motor Type	Induction
Oil Free/Oil Lube	Oil-Free
Handle Type	Rubber Reinforce
Noise Level (dBA)	≤65
Life Cycle(Hrs)	1000h

**2HP 30L Air Compressor**



**USC30-1200 PRO**  
SRP: ₱ 25,995

Rated Power	1300W
Rated Horsepower	2HP
Voltage/Frequency (HP)	220V/60Hz
Working Pressure (bar)	10.3bar
Working Pressure (PSI)	150PSI
FAD	100L/min
PD	190L/min
Motor Type	Induction
Oil Free/Oil Lube	Oil-Free
Handle Type	Rubber Reinforce
Noise Level (dBA)	≤70
Life Cycle(Hrs)	1000h

**2HP 75L Air Compressor**



**USC75-1200 PRO**

SRP: ₱ 31,995

Rated Power	1300W
Rated Horsepower	2HP
Voltage/Frequency (HP)	220V/60Hz
Working Pressure (bar)	10.3bar
Working Pressure (PSI)	150PSI
FAD	100L/min
PD	125L/min
Motor Type	Induction
Oil Free/Oil Lube	Oil-Free
Handle Type	Rubber Reinforce
Noise Level (dBA)	≤70
Life Cycle(Hrs)	1000h



**200W Power Station**

**PR200XLI**

SRP: ₱ 19,995

Battery Type	18650 Lithium Ion Cell
Battery Capacity	173Wh (22.2V 7.8Ah)
Dimensions	L192 x W142 x H148 mm
Net Weight	3.0kg
Charging Input:	DC 12-28V, 60W Max
	PV 16-22V by Solar Panel
Power Output:	
AC Outlet	1x 220V
Cigarette Lighter Port	1x 12V/10A
USB-A Port	2x 5V/9V/12V
USB-C Port	1x 5V/9V/12V/15V/20V
LED light	0.5W
Flashlight	1W

**350W Power Station**



**PR350XLI**

SRP: ₱ 28,995

Battery Type	18650 Lithium Ion Cell
Battery Capacity	288Wh (22.2V 13Ah)
Dimensions	L230 x W168 x H178 mm
Net Weight	3.9kg
Charging Input:	DC 12-28V, 60W Max
	PV 16-22V by Solar Panel
Power Output:	
AC Outlet	1x 220V
Cigarette Lighter Port	1x 12V/10A
USB-A Port	3x 5V/9V/12V
USB-C Port	1x 5V/9V/12V/15V/20V
LED light	0.5W
Flashlight	1W
	10W Wireless Charger

**800W PRO Power Station**



**PR1000X PRO**

SRP: ₱ 25,195

Battery Type	Lead-acid
Battery Capacity	4000mAh
800W Power Inverter	
Output	Three 5V 2.1A USB Sockets
	One 12V DC Socket
	Two 220V AC Outlet
Start/Peak Current	600/1200A
Operating Temp	0°C-60°C
Dimension	31x26.5x30CM
Weight	11.5KG

**400W Power Station**



**PR400X**

SRP: ₱ 16,995

Battery Type	Lead-acid
Battery Capacity	24000mAh
400W Power Inverter	
Output	Three 5V 2.1A USB Sockets
	One 12V DC Socket
	Two 220V AC Outlet
Operating Temp	0°C-60°C
Start/Peak Current	500/1000A
Dimension	28.7x25x29.8CM
Weight	11.8KG



**200W Power Station**

**PR200**

SRP: ₱ 10,195

Battery Type	Lead-acid
Battery Capacity	12000mAh
200W Power Inverter	
Output	Three 5V 2.1A USB Sockets
	One 12V DC Socket
	Two 220V AC Outlet
Operating Temp	0°C-60°C
Dimension	24.8 x 16.5 x 25.4CM
Weight	5.5KG



**1.5KW Gas Generator (Recoil)**

**GL1500X**  
SRP: ₱ 19,995



AC	
Rated Voltage	220V
Rated Frequency	60Hz
Rated Power	1.2Kw
Max Power	1.5Kw
Fuel Tank Capacity	6L
DC	
Rated Voltage	12V
Current	8.3A
Engine Wiring	Copper
Starting System	Recoil
Engine Output	3.5HP
Oil Capacity	9.5L
Fuel Type	Regular Gasoline

**3KW Gas Generator (Recoil)**

**GL3000X**  
SRP: ₱ 27,995



AC	
Rated Voltage	220V
Rated Frequency	60Hz
Rated Power	2.2Kw
Max Power	3.0Kw
Fuel Tank Capacity	17L
DC	
Rated Voltage	12V
Current	8.3A
Engine Wiring	Copper
Starting System	Recoil
Engine Output	6.5HP
Oil Capacity	0.6L
Fuel Type	Regular Gasoline

**3KW Gas Generator (Electric)**

**GL3500EX**  
SRP: ₱ 33,995



AC	
Rated Voltage	220V
Rated Frequency	60Hz
Rated Power	2.8Kw
Max Power	3.5Kw
Fuel Tank Capacity	17L
DC	
Rated Voltage	12V
Current	8.3A
Engine Wiring	Copper
Starting System	Recoil or Electrical
Engine Output	6.5HP
Oil Capacity	0.6L
Fuel Type	Regular Gasoline

**6.5KW Gas Generator (Electric)**

**GL6500EX**  
SRP: ₱ 55,995



AC	
Rated Voltage	220V
Rated Frequency	60Hz
Rated Power	5.5Kw
Max Power	6.5Kw
Fuel Tank Capacity	26L
DC	
Rated Voltage	12V
Current	8.3A
Engine Wiring	Copper
Starting System	Recoil or Electric
Engine Output	13HP
Oil Capacity	1.1L
Fuel Type	Regular Gasoline

**8.5KW Gas Generator (Electric)**

**GL8500EX**  
SRP: ₱ 59,995



AC	
Rated Voltage	220V
Rated Frequency	60Hz
Rated Power	7.0Kw
Max Power	8.5Kw
Fuel Tank Capacity	26L
DC	
Rated Voltage	12V
Current	8.3A
Engine Wiring	Copper
Starting System	Recoil or Electrical
Engine Output	15HP
Oil Capacity	1.1L
Fuel Type	Regular Gasoline

**10KW Gas Generator (Electric)**

**GL10000EX**  
SRP: ₱ 74,995



AC	
Rated Voltage	220V
Rated Frequency	60Hz
Rated Power	8.5Kw
Max Power	10.0Kw
Fuel Tank Capacity	26L
DC	
Rated Voltage	12V
Current	8.3A
Engine Wiring	Copper
Starting System	Recoil or Electrical
Engine Output	17HP
Oil Capacity	1.1L
Fuel Type	Regular Gasoline

**5KW Diesel Generator (Electric)**



**DL5000EX**  
SRP: ₱ 84,995

Max Power	10HP
Rated Power	5.0KW
Rated Voltage	220-240V
Frequency	50/60Hz
Generator Type	Single Phase
Power Factor	1 LAG
No. Load Speed	3000RPM
Weight	158kg

**8KW Diesel Generator (Electric)**



**DL8000EX**  
SRP: ₱ 99,995

Rated Power	7.5KVA
Max Power	8KVA
Rated Voltage	220-240V
Frequency	50/60Hz
Generator Type	Single Phase
Power Factor	1 LAG
No. Load Speed	3000RPM
Weight	173kg

**12KW Diesel Generator (Electric)**



**DL1200EX**  
SRP: ₱ 299,995

Rated Power	10KW
Max Power	8.5KW
Rated Voltage	220-240V
Frequency	50/60Hz
Generator Type	Single Phase
Power Factor	1 LAG
No. Load Speed	3000RPM

**2000W Gas Inverter Genset (Ultra Silent)**



**G2000ISX**  
SRP: ₱ 46,795

Rated Power	1.8KW
Max Power	2.0KW
Rated Voltage	220-240V
Frequency	50/60Hz
Engine Model	R80-i
Engine Type	Single Cylinder, 4-stroke
	Forced air Cooling, OHV
Fuel Tank Capacity	4L
Oil Capacity	0.35L
Start System	Recoil
Noise / 7m / Full Loading / Recoil	58
Non-stop running (h@Full Load)	4
N.W. (kg)	22
Wheek Kits	No

**3000W Gas Inverter Genset (Ultra Silent)**



**G3000ISX**  
SRP: ₱ 64,995

Rated Power	3KW
Max Power	3.3KW
Rated Voltage	220-240V
Frequency	50/60Hz
Engine Model	R185-Vi
Engine Type	Single Cylinder, 4-stroke
	Forced air Cooling, OHV
Fuel Tank Capacity	5.5L
Oil Capacity	0.53L
Start System	Recoil
Noise / 7m / Full Loading / Recoil	58
Non-stop running (h@Full Load)	4.5
N.W. (kg)	29.5
Wheek Kits	Yes

**4000W Gas Inverter Genset (Ultra Silent)**



**G4000IEX**  
SRP: ₱ 88,995

Rated Power	3.8KW
Max Power	4.2KW
Rated Voltage	220-240V
Frequency	50/60Hz
Engine Model	R225D-Vi
Engine Type	Single Cylinder, 4-stroke
	Forced air Cooling, OHV
Fuel Tank Capacity	8.3L
Oil Capacity	0.53L
Start System	Electric/Recoil
Noise / 7m / Full Loading / Recoil	66
Non-stop running (h@Full Load)	5
N.W. (kg)	46.5
Wheek Kits	Yes