


# Power Tool Accessories

## WHY LOTUS<sup>®</sup> TOOL ACCESSORIES

- Well balanced
- Superior in performance
- High Efficiency
- Designed for Safety
- Best suited for variety of Jobs



**Bi-Metal Hole Saw**



- > Cuts perfect holes in wood & drywall
- > High wear-resistance bi-metal construction
- > Welded high-speed steel teeth

SKU	SIZE	BOX / CTN	SRP
LTBM16	16mm	10/100	P 590
LTBM19	19mm	10/100	P 190
LTBM22	22mm	10/100	P 570
LTBM25	25mm	10/100	P 240
LTBM30	30mm	10/100	P 290
LTBM32	32mm	10/100	P 320
LTBM35	35mm	10/100	P 370
LTBM38	38mm	10/100	P 410
LTBM40	40mm	10/100	P 420
LTBM44	44mm	10/100	P 440

**Bi-Metal Hole Saw**



- > Cuts perfect holes in wood & drywall
- > High wear-resistance bi-metal construction.
- > Welded high-speed steel teeth

SKU	PIECES	BOX / CTN	SRP
LTXT9HS	9 pcs	20/20	P 2,600

**Hacksaw Blade M2**



- > Bi-metal construction produces longer life span.
- > Cuts common materials with 1/4"-1/2" thickness
- > Fits most 12" hack saw frames

SKU	No. of Teeth	BOX / CTN	SRP
LTX18SBX	#18T	100/1000	P 60
LTX24SBX	#24T	100/1000	P 60

**Hole Saw Set**



- > Ideal for woodworking
- > Cut smooth, clean accurate holes through up to 25mm (1") thick drywall, wood, plaster, plastic and other soft material

SKU	PIECES	BOX / CTN	SRP
LTXT500HSS	5PC	15/60	P 300

**HSS Blade Inserts**



SKU	BOX / CTN	SRP
LT2000TPX-119	-	P 1,999

**Jigsaw Blade Bi-Metal**



- > Bi-metal ground teeth and taper ground
- > T-shank design for maximum grip and stability
- > Ultimate control and accuracy of cut
- > Longlife bi-metal blades

SKU	TYPE	TOOTH SPACING	BOX / CTN	SRP
LT101BF	Clean-cut	2.5mm	50/500	P 520
LT101BRF	Clean-cut	2.5mm	50/500	P 520
LT101DF	Clean-cut	4mm	50/500	P 520
LT111CF	Fast-Cut	3mm	50/500	P 390
LT127DF	Fast-Cut	3mm	50/500	P 390
LT144DF	Fast-Cut	4-5.2mm	50/500	P 480

### Jigsaw Blade Bi-Metal



- Bi-metal ground teeth and taper ground
- T-shank design for maximum grip and stability
- Ultimate control and accuracy of cut
- Longlife bi-metal blades

SKU	TYPE	TOOTH SPACING	BOX / CTN	SRP
LT118AF	Flexible	1.1-1.5mm	50/500	P 330
LT118BF	Flexible	0.8mm	50/500	P 330
LT318AF	Flexible	-	50/500	P 450
LT1F	Flexible	-	50/500	P 340
LT2F	Flexible	-	50/500	P 340
LT3F	Flexible	-	50/500	P 340

### Jigsaw Blade HCS



- Pointed teeth reduce splintering on both sides of the workpiece
- For use on double-sided laminates, laminated substrates, hard and soft woods, and plywood
- HCS taper-ground jigsaw blades for robust and sharp blades

SKU	TYPE	TOOTH SPACING	BOX / CTN	SRP
LT101AO	Curved-cut	1.4mm	50/500	P 310
LT119BO	Curved-cut	2mm	50/500	P 170
LT244D	Curved-cut	4-5.2mm	50/500	P 290
LT227D	Curved-cut	-	50/500	P 450

### Jigsaw Blade T-HCS



- High carbon steel heat treatment
- Engineered for fine clean cuts on hard and soft wood, plastics, and laminated particle board
- Reversed tooth for splinter-free cuts on top of workpieces

SKU	TYPE	SHANK	BOX / CTN	SRP
LT1144D	Straight	T-Shank	50/500	P 280

### Jigsaw Blade U-HSS



- High carbon steel heat treatment
- Engineered for fine clean cuts on hard and soft wood, plastics, and laminated particle board
- Reversed tooth for splinter-free cuts on top of workpieces

SKU	SIZE	SHANK	BOX / CTN	SRP
LJB118A	1-3mm	U-Shank	25/500	P 330

### Planer Blade HSS



- High speed steel construction
- 2 Blades in one pack
- Top quality industrial HSS planer blades

SKU	SIZE	TYPE	BOX / CTN	SRP
LPB009	3-1/4"	Makita	20/200	P 300

### Planer Blade TCT



- High speed steel construction
- 2 Blades in one pack
- Top quality industrial HSS planer blades

SKU	SIZE	TYPE	BOX / CTN	SRP
LPB007T	3-1/4"	Makita	20/200	P 450



**TCT Saw Blade (Wood)**



- Advanced manufacturing technology tungsten carbide tip blades
- Machine ground, precise tip angles to give high quality results
- Long life to suit different kinds of materials and finish

SKU	DIAMETER x SIZE	BOX / CTN	SRP
LT10-30WSX	10" x 30T	1/20	₱ 1,250
LT10-40WSX	10" x 40T	25/25	₱ 1,280
LT10-60WSX	10" x 60T	20/20	₱ 1,450
LT12-30WSX	12" x 30T	1/10	₱ 1,570
LT12-40WSX	12" x 40T	1/10	₱ 1,650
LT12-60WSX	12" x 60T	10/10	₱ 1,750
LT12-120ASX	12" X 120T	1/10	₱ 2,300
LT14-30WSX	14" X 30T	1/10	₱ 2,100
LT14-40WSX	14" x 40T	25/25	₱ 2,200
LT16-30WSX	16" X 30T	25/25	₱ 2,850
LT16-40WSX	16" x 40T	25/25	₱ 3,000
LT4-40WSX	4" x 40T	50/100	₱ 350
LT7-40WSX	7" x 40T	40/40	₱ 550
LT7-60WSX	7" x 60T	40/40	₱ 650
LT9-60WSX	9" x 60T	20/20	₱ 1,000

**TCT SAW BLADE (Aluminum)**



- Advanced manufacturing technology tungsten carbide tip blades.
- Machine ground, precise tip angles to give high quality results.
- Long life to suit different kinds of materials and finish.

SKU	DIAMETER x SIZE	BOX / CTN	SRP
LT10-112ASX	10" x 112T	20/20	₱ 1,650

**TCT Saw Blade (MULTI)**



- Advanced manufacturing technology tungsten carbide tip blades.
- Machine ground, precise tip angles to give high quality results.
- Long life to suit different kinds of materials and finish.

SKU	DIAMETER x SIZE	BOX / CTN	SRP
LT4-40MMX	4" x 40T	50/100	₱ 400

**X1® Ripping Saw Blade**



- Cuts rough framing lumber, high quality finish lumber, plywood, OSB, and hardboard siding with the smoothest, fastest and most accurate cut.
- With thin kerf design, requires less cutting power from the user and the saw
- Unique design, extra-tough steel plate and proprietary carbide tips deliver longer life
- Ideal for general constructions, including fast, efficient ripping and crosscutting
- Superior Quality rip cuts (3/4" to 2-3/4") in wood, plywood & OSB

SKU	SIZE	BOX / CTN	SRP
L1024X	10"X24TX25.4MM	20/20	₱ 3,000



## X1® General Purpose Saw Blade



- Cuts rough framing lumber, high quality finish lumber, plywood, OSB, and hardboard siding with the smoothest, fastest and most accurate cut.
- With thin kerf design, requires less cutting power from the user and the saw
- Unique design, extra-tough steel plate and proprietary carbide tips deliver longer life
- Ideal for general constructions, including fast, efficient ripping and crosscutting
- Superior Quality rip cuts (3/4" to 2-3/4") in wood, plywood & OSB

SKU	SIZE	BOX / CTN	SRP
L1040X	10"X40TX25.4MM	20/20	P 3,300

## X1® Combination Saw Blade



- Excellent choice for table saw when one blade is needed for ripping & crosscutting
- With large gullet provides the chip removal space required while ripping and the close grouping of teeth within the set provide the smaller bite size required when crosscutting
- Each set of 5 teeth is separated by a large gullet
- Ideal for ripping and crosscutting wood & wood composites with the goal of a smooth finish

SKU	SIZE	BOX / CTN	SRP
L1050X	10"X50TX25.4MM	20/20	P 3,500

## X1® Finishing Blade



- Perfect choice for excellent rips and crosscuts using a portable saw.
- Deliver a smoother edge than framing blades.
- Ideal for smooth finish crosscuts in hardwood, softwood or plywood.
- Finish cuts in 1X, decking, fencing, fascia and plywood.

SKU	SIZE	BOX / CTN	SRP
L0740X	7"X40TX25.4MM	20/20	P 1,000

**Circular Brush**



- > Dense, high quality, tempered crimped wire construction
- > Offers excellent performance for deburring and rust and dirt removal

SKU	SIZE	BOX / CTN	SRP
LTXT100CBX	4"	50/50	P 210
LTXT150CBX	6"	40/40	P 500
LTXT200CBX	8"	20/20	P 550

**Cup Brush w/ Nut**



- > Suitable for numerous applications like those performed using brushes made of steel wire
- > Advantage: corrosion protection provided by brass-coated wire
- > Appropriate for straight grinder and all angle grinders

SKU	SIZE	BOX / CTN	SRP
LTXT3125CBX	3"X1.25	100/100	P 230
LTXT3150CBX	3"X1.50	60/60	P 210

**Cup Brush W/ Shank**



- > Crimp wire, flat shape with shaft
- > Carbon steel wire for dust elimination, paint removal, and deburring
- > High performance and good balance

SKU	SIZE	BOX / CTN	SRP
LTXT50CBX/S	50mm	10/60	P 90
LTXT75CBX/S	75mm	5/100	P 120

**3" Cup Brush Twisted**



- > Preferred abrasive tools on alloyed and unalloyed steels.
- > •Suited for edge breaking work, cutting of difficult to machine materials.
- > •High performance cleaning of large surface area.
- > High performance for brushing, deburring, removing rust.

SKU	LENGTH	BOX/CTN	SRP
LTXT3125CBX/T	3"X1.25	60/60	P 300
LTXT3150CBX/T	3"X1.50	60/60	P 300

**Lambswool Bonnet**



- > For polishing of, paints, non-ferrous metals and chrome steel panels.
- > High Quality 100% lambs wool
- > Hook and loop backing
- > Use with hook and loop backing pad and sander/polisher


SKU	LENGTH	BOX/CTN	SRP
LTPB18	180MM	200/200	P 700

**Polishing Sponge M14**

- > - For applying polisher and waxes
- > - Polyurethane foam for polishing metal and glass
- > - Ideal for automotive and marine applications
- > - Compatible with loop backing pads
- > - Can be used with a polishing bonnet

SKU	TYPE	BOC/CTN	SRP
LTPS14	M14	100/100	P 440

**Carbon Brush**



- Power Tools Series
- Long life, low spark
- Safe and reliable
- Anti-electromagnetic interference

SKU	BOX / CTN	SRP
HD750X/LTHD650X-16	-	P 140
LAG115Z1-38	1000/1000	P 90
LID13RE-V2-11	-	P 110
LID13REN23-V1	100/800	P 130
LPB600-2-23	1000/1000	P 110
LRT170C-11	1000/1000	P 75
LT2000TPX-120	-	P 250
LTBH4-28DRE-81	-	P 170
LTBH4-28DRE-82	-	P 60
LTBH7-45D-94	-	P 220
LTCM12MT-235	-	P 270
LTCM1800X-38	500/500	P 140
LTCS140X-43	-	P 180
LTCS1500X-48	-	P 130
LTCS240X-2	500/500	P 120
LTDRA400RE-18	-	P 100
LTEX250X-6	-	P 60
LTEX300/VX-20	-	P 130
LTHD16RE-17	500/500	P 120
LTG2000P-37	500/500	P 140
LTPL5800-17	1000/1000	P 100

SKU	BOX / CTN	SRP
LTPL600X-29	1000/1000	P 100
LTPL6500-18	1000/1000	P 120
LTPR2200X-26	-	P 300
LTPR550X-13	1000/1000	P 60
LTRD6500-13	-	P 130
LTSB4-24X-90	-	P 230
LTSG1000PX-31	-	P 75
LTSG7500-38	100/100	P 120
LTSG8500S-35	1/100	P 120
LTSG900VX-34	-	P 130
LTSB15X-62	-	P 110
LTSB16EX-59	-	P 250
LTSB5X-50	-	P 120
LTSB6EX-57	1/200	P 60
LTSJ110-710X-17	-	P 100
LTSJ60-550X-17	-	P 120
LTSO450X-69	-	P 140
LTSS2600X-16	-	P 25
LTST1800X-53	-	P 170
LTST254RPF-2-6	-	P 400
SG800X-33	-	P 55

**Hex Flat Chisel**



- With hex & round shank
- Widely used with electric hammers and applicable with cutting and chiselling tools for concrete and brick wall
- Solid steel construction for breaking up concrete, rocks and others.
- Provide higher durability and increased efficiency.

SKU	SIZE	BOX / CTN	SRP
LTHC17FX	17 x 280mm	50/50	P 190

**Hex Pointed Chisel**



- With hex & round shank
- Widely used with electric hammers and applicable with cutting and chiselling tools for concrete and brick wall
- Solid steel construction for breaking up concrete, rocks and others.
- Provide higher durability and increased efficiency.

SKU	SIZE	BOX / CTN	SRP
LTHC17PX	17 x 280mm	50/50	P 190



**Hex Pointed Chisel**



- > Self sharpening with 30% higher material removal rate.
- > Longer lifespan than chisels hardened in the traditional way.
- > High wear resistance
- > For demolishing masonry and concrete.
- > SDs max shank

SKU	SIZE	BOX / CTN	SRP
LTHC30SX	30X410MM	10/10	P 860

**Carbide Wheel**



- > With hex & round shank
- > Widely used with electric hammers and applicable with cutting and chiselling tools for concrete and brick wall
- > Solid steel construction for breaking up concrete, rocks and others.
- > Provide higher durability and increased efficiency.

SKU	BOX / CTN	SRP
LTXT110-20MWX	25/100	P 290

**Diamond Cutter**



- > Continuous band features a flat, smooth cutting surface
- > Suitable for high quality applications including ceramic coating
- > Uninterrupted cutting reduces chipping of the surface of the material
- > Suitable for cement sheeting, ceramic tiles, porcelain and terracota tiles

SKU	TYPE	LENGTH	BOX / CTN	SRP
LTXT350CC	Segmented	14"	10/10	P 3,500
LTXT100DD	Segmented	4"	100/100	P 210
LTXT100DW	Continuous	4"	100/100	P 200
LTXT100DT	Turbo Rim	4"	100/100	P 220

**Diamond Cutter Ultra Thin**



- > Fast, clean and chip free cutting
- > Industrial grade diamonds for fast and smooth cutting
- > Reinforced core for added stability
- > Criss-crossed diamond matrix for superior cutting performance
- > 12mm segment height for longer tool life

SKU	LENGTH	BOX / CTN	SRP
LTXT4DC PRO	4"	50/100	P 420

**Diamond Cutter Ultra Thin**



- > Ultra thin blade for more stable cuts
- > Same finish and stability of a continuous diamond cutter
- > Ability to cool off and performing at a similar speed of segmented blades
- > Suitable for cement sheeting, concrete, clay brick and pavers, concrete pavers and piping and granite/engineered stone
- > 105MM disc diameter -20MM arbor hole -16MM arbor hole with reduced bushing -Maximum RPM: 15 000
- > Cutting conditions: wet or dry

SKU	LENGTH	BOX / CTN	SRP
LTXT100DTX	4" (1.0mm)	100/100	P 350

**Diamond Cutter**



- > Ensure Blade is Suitable for your Application
- > Diameter and Bore Must Suit Machine
- > Directional Arrows Must Correspond with the Direction of Rotation of Machine

SKU	LENGTH	BOX / CTN	SRP
LDD7D	7"	25/25	P 500

## Cut-Off Wheel



- > Universal cut-off wheel for cutting metal sheets, rifles, pipes, rods and solid materials.
- > Fully reinforced with fiberglass mesh for added safety and performance.
- > Tough aluminum oxide abrasive is continuously exposed during use to maintain an aggressive cutting edge.

SKU	LENGTH	BOX / CTN	SRP
LTXT100STSC	4"	50/800	P 20
LTXT100SC1P	4"	25/400	P 40
LTXT180SC1P	7"	25/100	P 90
LTXT305SC1P	12"	5/25	P 230
LTXT355SC1P	14"	5/25	P 280
LTXT400SC1P	16"	25/25	P 300

## Cut-Off Wheel Super Thin



- > The super-thin RAPID-CUT™ is designed for ultra fast cutting in stainless steel.
- > Low iron, sulphur and chlorine (Fe + S + Cl 0.1%)
- > High speed cut rates and long service life, with the use of high quality corundums
- > Ideal for automotive manufacturing, containers, switch cabinets etc.
- > Cuts without burrs.
- > Max.: 15,300rpm 80m/s
- > Dimension: 4"/105mm x 1.0 x 16mm

SKU	LENGTH	BOX / CTN	SRP
LTXT105STSC/FC	4" (1.0mm)	50/800	P 26

## Stone Cutter



- > High durability disc for the hardest types of tiles and stone.
- > Uninterrupted cutting reduces chipping of the surface of the material
- > High precision disc for straight and perfect cut.
- > High quality fast cutting disc

SKU	LENGTH	BOX / CTN	SRP
LCC100	4"	25/400	P 40
LCC180	7"	25/100	P 110

## TI Coated Diamond



- > High alloy stainless steels and high temperature non-ferrous metals with cool grinding properties and a long service life.
- > Suited for edge breaking work and cutting of difficult to machine materials.
- > Preferred abrasive tools on alloyed and unalloyed steels.

SKU	LENGTH	BOX / CTN	SRP
LDC100GC	4"	10/100	P 480

## Chuck Key



- > Alloy Material
- > For Electric Clamping tool
- > Help to tighten and loosen bits
- > Used for controlling tightness of looseness of electric drill
- > Can be used in hammer or drilling mode, very durable, comfortable to grip.

SKU	LENGTH	BOX / CTN	SRP
LTA10CKX	10mm	20/100	P 80
LTX13CKX	13mm	20/100	P 90
LTX13CK2X	13mm	20/100	P 100
LTX16CK2X	16mm	-	P 130
LTX20CK2X	20mm	20/100	P 170

## Flex Drill Shaft



- > Length: 8inch, HEX Shank
- > Can bend, twist, and rotate at different angles
- > Small spaces, gaps can be worked through it easily
- > It has a magnetic bit holder that keeps fasteners and bits secure while working
- > Compatible with a small wrench, cordless screwdriver, pneumatic screwdriver, torque drill, electric screwdriver. 360° can flex and stretch

SKU	LENGTH	BOX / CTN	SRP
LTX200FDS	-	250/250	P 180

**Flute Countersink Bit**



- > Angle Design: Tricuspid Centering – accurate centering for sharp and precise countersinking.
- > Flute Type: Five-edged chamfer – fast discharge chips from the hole on both sides automatically.
- > Hex Wrench – Easy to use the combination of the hex key to adjust or disassemble the countersink drill bit and the five-flutes chamfering.

SKU	Type	BOX / CTN	SRP
7X LTXT700CSD/F	Flute	35/70	P 650

- > Set Includes:  
3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 10mm and FREE Hex key wrench.

**Hex Adaptor Set 3pcs**



- > Easily attachable and detachable by one touch action
- > Built in strong permanent magnet (the whole part)
- > Made of chrome vanadium steel (CR-V), heat treated high hardness, wear resistance, durable and long service life
- > Great for working with hard to reach screws

SKU	BOX / CTN	SRP
LTXT300SA	60/120	P 300

**Bit Holder Quick Change 3pcs**



- > Use with all sockets to tighten/loosen hex screws
- > Made of heat-treated hardened chrome vanadium steel
- > Heavy duty construction to be compatible with the most powerful impact guns
- > Quick change hex design allows to switch easy
- > Spring loaded extension ball bearings

SKU	BOX / CTN	SRP
LTXT300BH/QX	80/160	P 500



### Brad Point Drill Bit 5pcs



- > Precise cutting edges of the drill bits for wood or metal are designed to reduce splintering
- > Brad point tip of drill bits reduces walking
- > Drill bit set is engineered flutes for clean effective chip removal

SKU	BOX / CTN	SRP
LTXT500BPX	80/160	P 250

### Brad Point Bit Set 11pcs



- > Precise cutting edges of the drill bits for wood or metal are designed to reduce splintering
- > Brad point tip of drill bits reduces walking
- > Drill bit set is engineered flutes for clean effective chip removal

SKU	BOX / CTN	SRP
LTXT11BPB	20/20	P 250

### Countersink Bit 90°



- > 90 degree
- > 1/4" Quick Change Hex shank
- > Made of industrial grade high carbon steel
- > Titanium coated, durable and long service life

SKU	BOX / CTN	SRP
LTXT600CBX	60/120	P 450

**Hex Countersink Bit**



- Drill bit countersink can drill countersink a hole in one step for maximum productivity.
- Produced a chamfered hole with a tapered opening that allows screws to install flush with the surface of the work piece for a finished look.
- These sets contain multiple drill bit countersink in a range of sizes.

SKU	Type	BOX / CTN	SRP
LTXT500CSD/H	Hex	50/200	P 500

**Forstner Bit**



- Great choice for cutting clean and accurate flat bottom holes
- Except for the slight notch created from the center spur, the resulting holes are clean and smooth.
- Carbide blades add longevity to the bits life
- Work well for solid wood, hardwood, plywood, MDF, chipboard, etc.
- Used for: Woodworking
- Material: Tungsten Carbide

SKU	LENGTH	BOX / CTN	SRP
LTXT35FB	35mm	10/100	P 430

**35pcs Combination Drill Set**



- Sturdy plastic storage case.
- Smooth cuts through plastic, wood, and metal.
- Both spiral and spline screw bit screw extractor pieces.
- Pre-oiled metal cutting drill bits are constructed of heat-treated carbon steel.

SKU	BOX / CTN	SRP
LTXT35CODB	8/8	P 1,000

**Glass/Tile Bit**



- Ideal for drilling fastner holesin bathroom tiles, or wall mirrors.  
Spear pointed design reduces breakout.

SKU	SIZE	BOX / CTN	SRP
LGT003D	3mm	150/600	P 110
LGT005D	5mm	150/300	P 130
LGT006D	6mm	200/400	P 130
LGT008D	8mm	200/400	P 150
LGT010D	10mm	-	P 160

**HSS-CO Bit (Blister Pack)**



- Suitable for use on cast, sintered & non-ferrous metals and steel.
- For use with most electric drills, plastic & wood.

SKU	LENGTH	BOX / CTN	SRP
LTXT764HC	7/64"	250/500	₹ 50
LTXT18HC	1/8"	250/500	₹ 60
LTXT532HC	5/32"	250/500	₹ 80
LTXT316HC	3/16"	250/500	₹ 90
LTXT732HC	7/32"	250/500	₹ 110
LTXT1564HC	15/64"	250/500	₹ 130
LTXT516HC	5/16"	60/120	₹ 320
LTXT2364HC	23/64"	60/120	₹ 360
LTXT38HC	3/8"	60/120	₹ 410
LTXT12HC	1/2"	10/50	₹ 720

**HSS-CO Bit (Tube Pack)**

SKU	LENGTH	BOX / CTN	SRP
LTHC0116-B10	1.5   1/16"	100/500	₹ 190
LTHC0564-B10	2.0   5/64"	100/500	₹ 190
LTHC0332-B10	2.5   3/32"	100/500	₹ 255
#CDB090	9.0   11/32"	60/120	₹ 310
LTHC0764-B10	2.8   7/64"	100/500	₹ 340
LTHC0180-B10	3.0   1/8"	100/500	₹ 390
LTHC0964-B10	3.2   9/64"	50/200	₹ 400
LTHC0532-B10	3.5   5/32"	50/200	₹ 520
LTHC0316-B10	4.2   3/16"	50/200	₹ 690
LTHC0732-B10	4.8   7/32"	50/200	₹ 790
LTHC1564-B10	6.0   15/64"	50/200	₹ 1000
LTHC0140-B10	5.5   1/4"	20/100	₹ 1100
LTHC0932-B10	6.5   9/32"	20/100	₹ 1350
LTHC0516-B10	7.5   5/16"	25/50	₹ 1950
LTHC0716-B5	11.5   7/16"	25/50	₹ 2,000
LTHC0380-B10	9.5   3/8"	25/50	₹ 2600
LTHC0120-B5	13   1/2"	25/50	₹ 2700

**HSS-G Bit (Blister Pack)**



- Suitable for use on cast, sintered & non-ferrous metals and steel.
- For use with most electric drills, plastic & wood.

SKU	LENGTH	BOX / CTN	SRP
LTXT116HG	1/16"	200/2000	₹ 25
LTXT564HG	5/64"	120/240	₹ 30
LTXT332HG	3/32"	120/240	₹ 35
LTXT764HG	7/64"	250/500	₹ 40
LTXT18HG	1/8"	250/500	₹ 50
LTXT532HG	5/32"	100/1000	₹ 55
LTXT316HG	3/16"	250/500	₹ 70
LTXT1564HG	15/64"	120/240	₹ 90
LTXT932HG	9/32"	60/120	₹ 125
LTXT516HG	5/16"	60/120	₹ 175
LTXT1764HG	17/64"	60/120	₹ 190
LTXT38HG	3/8"	60/120	₹ 220
LTXT716HG	7/16"	10/50	₹ 390
LTXT12HG	1/2"	10/50	₹ 455

**HSS-G Bit (Tube Pack)**

SKU	LENGTH	BOX / CTN	SRP
#HDB035	3.5   5/32"	120/240	₹ 50
LTHG0160-B10	1.5   1/16"	100/500	₹ 120
LTHG0332-B10	2.5   3/32"	100/500	₹ 180
LTHG0764-B10	2.8   7/64"	100/500	₹ 220
#HDB032-B	1/8"	20/200	₹ 280
LTHG0180-B10	3.0   1/8"	100/500	₹ 310
LTHG0964-B10	3.2   9/64"	50/200	₹ 330
LTHG091612-B1	14.3   9/16"	50/100	₹ 440
LTHG058012-B1	15.9   5/8"	50/100	₹ 500
LTHG011612-B1	17.8   11/16"	50/100	₹ 550
LTHG034012-B1	19   3/4"	50/100	₹ 640
LTHG0140-B10	5.5   1/4"	20/100	₹ 840
LTHG078012-B1	22.2   7/8"	50/100	₹ 900
LTHG0932-B10	6.5   9/32"	20/100	₹ 1000
LTHG010012-B1	25.4   1"	50/100	₹ 1150
LTHG0716-B5	11.5   7/16"	25/50	₹ 1350
LTHG0516-B10	7.5   5/16"	25/50	₹ 1600
LTHG0120-B5	12.7   1/2"	25/50	₹ 2000




**HSS-G Tin Co Bit 11pcs**



- Split point drill bits suitable for ferrous and non-ferrous metals, offering good drilling speeds and extended working life.

SKU	BOX / CTN	SRP
LTXT11GDBT	20/20	P 380

**Impact Bit Set 34pcs**



- Durable storage case for increased protection
- Multi-piece accessory set good for various applications
- Most common size bits to accomplish all applications
- Black oxide drill bits for longer life
- Magnetic drive guide for ease of use

SKU	BOX / CTN	SRP
LTXT34IBX	6/24	P 1000

**Masonry Drill Bit**




- Made from silicon carbide with polyvinyl alcohol bond for dry polishing of marble edges with high speed grinder.
- They are very effective in polishing marble edges.
- Used for polishing edges of ceramic, metal, and wood.

SKU	DIAMETER	BOX / CTN	SRP
LMDB030	3mm	10/250	P 40
LMDB040	4mm	10/250	P 40
LMDB050	5mm	10/250	P 40
LMDB060	6mm	10/250	P 40
LMDB065	6.5mm	10/250	P 45
LMDB070	7mm	10/250	P 45
LMDB080	8mm	10/250	P 50
LMDB090	9mm	10/250	P 60
LMDB100	10mm	20/250	P 65
LMDB110	11mm	10/250	P 70
LMDB130	13mm	10/200	P 110
LMDB160	16mm	10/100	P 160
LMDB190	19mm	5/50	P 280

### 11pcs Masonry Bit Set

- > Chisel-shaped carbide head
- > S-flute with robust geometry
- > Suitable for drilling building material: Stone, bricks, concrete



SKU	BOX / CTN	SRP
LTXT500SE	20/20	P 410

### Screw Extractor



- > Screw extractors are used when a screw or bolt has broken off white still in the fastening hole.
- > Penetrating oil can be helpful in removing rusty or corroded parts.
- > Removes damaged screw that cannot be removed with a standard screwdriver.
- > Black oxide finish for durability

SKU	PIECES	BOX / CTN	SRP
LTXT500SE	5PC	50/100	P 350

### Spade/Flat Bit

- > Black groove point and cutting edge faster chip removal 4X faster than standard spade bits
- > Double cutting spurs scribe the outside of the hole reducing breakout
- > 10% larger shank for added durability
- > Grooved hex shank prevents sliding in drill chuck or bit extension
- > Fits all standard quick change chucks



SKU	SIZE	BOX / CTN	SRP
LWS078	7/8"	10/200	P 130
LTXT600SBX	Set 6pcs	40/80	P 600

### 100pcs Screw Driver Bit Set

- > Sturdy plastic storage case.
- > Bits for conventional power screwdrivers
- > Quick lock attachment for optimum grip in the chuck
- > Perfectly suited for all DIN screws
- > Rustproof.



SKU	BOX / CTN	SRP
LTXT500SE	10/10	P 1,100

### 5pcs SDS Plus Bit Set

- Bit Size
- > 6 x 110mm
  - > 6 x 160mm
  - > 8 x 110mm
  - > 8 x 160mm
  - > 10 x 160mm



SKU	BOX / CTN	SRP
LTXT500SPB	5/50	P 400

### Step Drill Bit (Spiral)

- > Made of high-alloyed special steel
- > Tin-GOLD coating for a further substantial increase in service life.
- > Smooth running and high cutting performance
- > Ideal for thicker sheets



SKU	BOX / CTN	SRP
LTXT4-32SDC	50/100	P 750

**SDS Plus Bits**



- Special tip design provides fast and accurate drilling in concrete
- Excellent for drilling high-resistance materials such as green concrete or engineer bricks

SKU	SIZE	BOX / CTN	SRP
LTXT4-110SBX	4X110	80/320	P 85
LTXT55-110SBX	5.5X110	10/200	P 90
LTXT5-170SBX	5X170	10/200	P 95
LTXT6-110SBX	6X110	80/320	P 90
LTXT6-160SBX	6X160	80/320	P 95
LTXT65-110SBX	6.5X110	10/200	P 100
LTXT8-110SBX	8X110	80/320	P 90
LTXT8-160SBX	8X160	80/280	P 95
LTXT8-210SBX	8X210	50/200	P 105
LTXT10-160SBX	10X160	10/280	P 100
LTXT10-210SBX	10X210	10/200	P 110
LTXT12-160SBX	12X160	50/200	P 120
LTXT12-260SBX	12X260	15/135	P 130
LTXT13-160SBX	13X160	50/200	P 135
LTXT14-160SBX	14X160	50/200	P 140
LTXT14-260SBX	14X260	15/135	P 170
LTXT16-210SBX	16X210	30/120	P 185
LTXT16-310SBX	16X310	10/90	P 240
LTXT18-210SBX	18X210	20/80	P 220
LTXT19-210SBX	19X210	10/100	P 270
LTXT20-310SBX	20X310	5/45	P 370
LTXT22-260SBX	22X260	5/45	P 390
LTXT22-310SBX	22X310	5/50	P 450
LTXT25-260SBX	25X260	5/45	P 510

**Drill Chuck**



- Specifically designed for stationary drilling, turning, milling, and woodworking machines
- Jaws, gear ring, and body are totally hardened for exceptional tool life
- The one-piece gear ring and sleeve eliminate the possibility of teeth breakage
- All pieces hardened and ground

SKU	SIZE	BOX / CTN	SRP
LTXT3824DCX	10mm	10/50	P 370
LTXT1324DCX	13mm	5/40	P 410
JT3 LTXT160DPCX	16mm	-	P 1,100
JT4 LTXT20DPCX	20mm	-	P 1,500
JT5 LTXT25DPCX	25mm	-	P 4,000

**Drill Chuck with Key**



- Key operated guided jaws type
- Made from special steel
- Screw rings hardened and ground
- Key hardened and blacked

SKU	SIZE	BOX / CTN	SRP
LTXT1020DCX 20UN	10MM	-	P 260
LTXT1024DCX 24UN	10MM	10/50	P 330
LTXT1320DCX 20UN	13mm	10/50	P 360

**Drill Chuck + Key**



- The most popular drill chuck for portable power tools
- Jaw and bodies hardened and ground
- Ease of operation

SKU	SIZE	BOX / CTN	SRP
LTXT624DCX	6MM-24UNF	-	P 250

**Adjustable Pin Wrench**



- Made from carbon steel with black oxidation treatment for longer service life
- Easy twist knob adjustment, special riveting process, will not loosen for a long time
- Adjustable from 10-46mm for replacing pins in angle and bench grinders, mitre and circular saw
- Ergonomic design plastic coated handle, non-slip and comfort, make your work more handy

SKU	BOX / CTN	SRP
LHT30PW	50/100	P 150



**Backing Pad M10/15,300RPM**



- > High Quality Steel Front
- > Thread can be screwed on a grinder for grinding

SKU	BOX / CTN	SRP
LTBPM10	10/300	P 250


**Diamond Cup Wheel 4" RIM**



- > Designed for flat grinding
- > Ideal for removal of concrete imperfections
- > Long life in non-abrasive material

SKU	BOX / CTN	SRP
LTXT100DC4R	40/40	P 550

**Diamond Cup Wheel 4"**



LTXT100DC1R

LTXT100DC2R

SKU	BOX / CTN	SRP
LTXT100DC1R	50/100	P 430
LTXT100DC2R	20/40	P 780

**Diamond Cup Wheel 7"**



- > Designed for flat grinding
- > Ideal for removal of concrete imperfections
- > Long life in non-abrasive material

SKU	BOX / CTN	SRP
LTXT180DC7SR	10/10	P 1,700

**Grinding Wheel**



- > Preferred abrasive tools on alloyed and unalloyed steels
- > Suited for edge breaking work, cutting of difficult to machine materials
- > High alloy stainless steels and high-temperature non-ferrous metals with cool grinding properties and a long service life
- > Style flap discs have some "Flexible polishing" ability and really popular in a market

SKU	LENGTH	BOX / CTN	SRP
LDC100	4"100X6X16MM	25/200	P 50

**Mounted Stone**



- > Specifically designed for polishing and grinding of metallic and non-metallic items.
- > Contains assorted shapes and grades for each variety of materials.
- > High durability and easy to use.


SKU	PIECES	SHANK	BOX / CTN	SRP
LTXT100MSX	10 pcs.	6mm	12/120	P 300
LTXT500MSX	5 pcs.	6mm	24/144	P 230

**Non-woven Wheel**

**Trimmer Head with Line**



- > Quantity: 5pcs/color box
- > Wheel Size: 100mm (Diameter) x 10mm (Thickness) x 16mm (Arbor)
- > Max Speed: 13300RPM
- > Grit Number: 240
- > Hardness: 7p"



- > 4 line head for mowing and finishing works
- > The semi-automatic line adjustment is made by pressing the cutting head against the ground
- > The standard line used in the head is 2.0mm thick
- > Ideal for trimming and edging
- > Fit to any brush trimmer

SKU	SIZE	BOX / CTN	SRP
LTXT4-240NW	4"	5/100	P 150

SKU	BOX / CTN	SRP
LTXT100THX	100/100	P 180

**Trimmer Line (Round)**

**Trimmer Line (Square)**



- > Easily and effectively slice through thick grass and weeds  
Accessible to every nook and corner even where there are stones and hence.
- > The cord is hard and durable as steel
- > Compact, sturdy and free from breakdown
- > Maneuverable for easy and efficient operation
- > Fit to any brush trimmer.



- > Easily and effectively slice through thick grass and weeds
- > Accessible to every nook and corner even where there are stones and hence
- > The cord is hard and free from breakdown
- > Manoeuvrable for easy and efficient operation
- > Fit to any brush trimmer

SKU	BOX / CTN	SRP
LTXT24-15RTL	12/144	P 100

SKU	BOX / CTN	SRP
LTXT24-100STL	20/20	P 700
LTXT24-15STL	12/144	P 110

**Planer Belt**

**Router Bit Set**



- > For Lotus LTPL600X, LTPL5800; 1900B, M1902B
- > High-quality materials
- > Belt is easy to install
- > Replacement planer belt
- > Good performance



- > Bits can be re-sharpened
- > Sealed bearing for smooth cutting
- > Suitable for shipboard, Board, Hardwood and softwood

SKU	BOX / CTN	SRP
LTPL5800-3	50/500	P 60

SKU	PIECES	BOX / CTN	SRP
LTXT12RBX	12 pcs.	10/10	P 1,800
LTXT6RBX	6 pcs.	20/20	P 1,200

### Flap Disc 4" (Flexible)



- > Preferred abrasive tools on alloyed and unalloyed steel
- > Suited for edge breaking work, cutting of difficult to machine materials

SKU	GRIT	BOX / CTN	SRP
LT4-100F2DX	G100	10/200	P 80
LT4-120F2DX	G120	10/200	P 80
LT4-60F2DX	G60	10/200	P 80
LT4-80F2DX	G80	10/200	P 80

### Flap Disc 4" T27



- > Grinding and finishing of welds
- > deburring, rust removal and snagging
- > Suitable for most ferrous & non-ferrous materials
- > Excellent for surface finishing

SKU	GRIT	BOX / CTN	SRP
LT4-100FDX	G100	10/200	P 60
LT4-120FDX	G120	10/200	P 60
LT4-60FDX	G60	10/200	P 60
LT4-80FDX	G80	10/200	P 60

### 45° 1/4 Chamfer Bit



- > Two flute, carbide tipped with exchangeable ball bearing.
- > Ideal for beveling and decorative edges. Also used for producing a 45° edge for mitres.

SKU	BOX / CTN	SRP
209054	10/100	P 400

### 1/4 Flush Trim Bit



- > Material : Tungsten Carbide
- > For an Extremely Finish, Choose the two-flute configuration
- > It is especially good for use on Laminates that tend to chip easily

SKU	BOX / CTN	SRP
#201014	10/100	P 275
#201034	10/100	P 275
#201054	10/100	P 275

### 1/4 Round Over cutter w/ Bowl Bits



- > Two flute beading cutter w/ ovolo profile Made with an exchangeable bearing 12.7mm
- > Also used for decorative edges, such as moldings, chair rails, drawer fronts, casement work & paneling
- > Material: Tungsten Carbide

SKU	BOX / CTN	SRP
#602074	10/100	P 340
#602094	10/100	P 360

### Straight Bit (Single)



- > Single Flute bit should be used where cut speed is more important than cut finish
- > Making one cut per revolution is faster than making two or three.
- > Improves chip clearance is possible with a single flute configuration
- > Material: Tungsten Carbide

SKU	BOX / CTN	SRP
#101034	10/100	P 230
#101074	10/100	P 230

**Straight Pattern Bit 1/4**



- > Two-flute carbide tipped with totally enclosed ball bearing guides.
- > The top mounted bearing is ideal for template routing.
- > In addition to template routing these bits are convenient for flush trimming.
- > In many applications where a bottom mounted bearing is not practical.
- > Material : Tungsten Carbide

SKU	BOX / CTN	SRP
#131004	10/100	P 640
#130804	10/100	P 640
#131204	10/100	P 640

**V-Groove 90°**



- > V-groove and engraving cutter used on high speed routers for beveling chamfering and for producing mortar grooves.
- > Material : Tungsten Carbide

SKU	BOX / CTN	SRP
#304014	10/100	P 220
#304054	10/100	P 220

**Polish Pad**



- > -The single-sided yellow blended wool polishing pad
- > -Removes compound swirl marks and fine paint surface defects.

SKU	GRIT	BOX / CTN	SRP
LTXT4-50WPP	#50	10/500	P 450
LTXT4-100WPP	#100	10/500	P 450
LTXT4-200WPP	#200	10/500	P 450
LTXT4-400WPP	#400	10/500	P 450
LTXT4-500WPP	#500	10/500	P 450
LTXT4-500WPP	#800	10/500	P 450
LTXT4-1000WPP	#1000	10/500	P 450
LTXT4-1500WPP	#1500	10/500	P 450
LTXT4-3000WPP	#3000	10/500	P 450

**Sanding Belt**



SKU	SIZE	GRIT	BOX / CTN	SRP
LTXT120SBX	4"X24"	#120	100/100	P 200
LTXT240SBX	4"X24"	#240	100/100	P 200
LTXT80SBX	4"X24"	#80	100/100	P 200
LTXT120SBX-36	4"X36	#120	50/50	P 450
LTXT80SBX-36	4"X36	#80	50/50	P 450

- > 10X longer life versus standard sanding belt
- > Hard wearing aluminum oxide grit blend for fast material removal and long sanding life
- > Hard wearing aluminum oxide grit
- > Cloth backed sanding belt
- > Highly durable with long life
- > Applications for sanding wood, regular steel
- > Suitable for use with very powerful Belt Sanders:
- > Compatible with Lotus® LTSB350X, LTSB4-24X
- > Material: Aluminum Oxide
- > Joint Type: Butt Joint




**Sanding Disc 4"**



- > Attaches oxide twist-lock disc holder
- > Aluminum oxide abrasive

SKU	Grit	BOX / CTN	SRP
LTSD4100	#100	100/1000	P 30
LTSD4040	#40	100/1000	P 30
LTSD4060	#60	100/1000	P 30
LT4-100SDX	#100	80/80	P 300
LT4-60SDX	#60	80/80	P 300
LT4-80SDX	#80	80/80	P 300



- > Easy removal and replacement
- > Allows users to change paper quickly

SKU	GRIT	BOX / CTN	SRP
LVD4120	#120	50/3600	P 20
LVD4060	#60	-	P 50
LVD4100	#100	-	P 50
LVD4080	#80	-	P 50

**4" Flap Disc (Flexible)**




SKU	Grit	BOX / CTN	SRP
LT4-60F2DX	#60	10/200	P 80
LT4-80F2DX	#80	10/200	P 80
LT4-100F2DX	#100	10/200	P 80
LT4-120F2DX	#120	10/200	P 80



- > Can be used in both metal, wood & most of the surfaces
- Applicable to general metal, carbon steel, alloy steel, stainless steel, cast iron, non ferrous metals


SKU	GRIT	BOX / CTN	SRP
LT4-60FDX	#60	10/200	P 60
LT4-80FDX	#80	10/200	P 60
LT4-100FDX	#100	10/200	P 60
LT4-120FDX	#120	10/200	P 60

**Sanding Disc 5" (Velcro)**



- > Easy removal and replacement
- > Allows users to change paper quickly

SKU	GRIT	BOX / CTN	SRP
LT5-120VSDX	#120	10/1000	P 150
LT5-240VSDX	#240	10/1000	P 150
LT5-80VSDX	#80	10/1000	P 150




- > Hard wearing aluminum oxide grit
- > Cloth backed sanding Sleeves
- > Highly durable with long life
- Applications for sanding wood, regular steel
- > Suitable for use with very powerful Oscillating Belt/Spindle Sander: Compatible with Lotus LTSO450X.

SKU	GRIT	BOX / CTN	SRP
LTXT120SSX	#120	100/100	P 650
LTXT240SSX	#240	100/100	P 650
LTXT80SSX	#80	100/100	P 650

**Sanding Sleeves 1/2"**

**Screw Bits**

**Nut Driver**



- > If one end breaks, the other end can be used.
- > A wide variety of bits according to different heat treatment.
- > Strongly magnetized
- > Reinforced tip for tapping work.



- > Universal Hex Shank with Groove
- > Magnetic Bit Holds Fastener
- > Ideal for Fast, Easy Driving of Nuts, Bolts & Hex Held Screws

SKU	SIZE	BOX / CTN	SRP
LTSB65UX	PH2/65mm	80/80	P 450

SKU	SIZE	BOX / CTN	SRP
LTXT516TSA	5/16"	20/200	P 65

**Text Screw Adapter Pro**

**Impact Screw Bits PH2/65mm PRO**



- > Easy to use and carry around
- > Used in drills for text screw installations



- > If one end breaks, the other end can be used. A wide variety of bits according to different heat treatment.
- > Strongly magnetized.
- > Reinforced tip for tapping work.
- > Jagged tip prevents cam-out,
- > Well balanced combination between tip precision and strength

SKU	SIZE	BOX / CTN	SRP
L TSA14	1/4" Hex	100/100	P 330

SKU	BOX / CTN	SRP
LTIB65	80/80	P 650

**Bit & Tox Set 8pcs**

**Craving/Engraving Kit 11pc**



- > Jaws and body made of hardened and ground steel for ease of operation



- > Specially curated kit all carving and engraving applications
- > Comes with re-useable storage case and 11 accessories
- > Clear lid, storage bin, and removable tray make accessories easy to locate
- > Can stack easily, stand upright, or hang on wall by hook
- > Small footprint saves space

SKU	BOX / CTN	SRP
LTXT800BTX	5/50	P 600

SKU	BOX / CTN	SRP
LTXT11CEX	100/100	P 700

### Cleaning/Polishing Kit 20pc



- > Specially curated kit all carving and engraving applications
- > Comes with re-useable storage case and 20 accessories
- > Clear lid, storage bin, and removable tray make accessories easy to locate
- > Can stack easily, stand upright, or hang on wall by hook
- > Small footprint saves space

SKU	BOX / CTN	SRP
LTXT20CPX	100/100	₱ 690

### General Purpose Kit 52pc



- > Ideal applications for cutting, grinding, carving, polishing, sanding, cleaning and more
- > Comes with re-usable storage case
- > Application and material usage information included
- > Removable organizer tray
- > Storage box with lid

SKU	BOX / CTN	SRP
LTXT52GPX	100/100	₱ 790

### General Purpose Kit 75pc



- > Ideal applications for cutting, grinding, carving, polishing, sanding, cleaning and more.
- > Comes with re-useable storage case and 75 accessories
- > Application and material usage information included
- > Removable organizer tray
- > Storage box with lid

SKU	BOX / CTN	SRP
LTXT75GFX	100/100	₱ 810

### HSS-CO Drill Bit Set



- > Made from silicon carbide with polyvinyl alcohol bond for dry polishing of marble edges with high speed grinder.
- > They are very effective in polishing marble edges.
- > Used for polishing edges of ceramic, metal, and wood.

SKU	PIECES	SIZES	BOX / CTN	SRP
LTXT21CDBX	21 pcs.	1/16-3/8	5/25	₱ 3,100

### HSS-G Drill Bit Set



- > Long working life due to accurately ground spirals
- > 40% faster than standard ground HSS drill bits
- > Cross-ground drill bits facilitate centering without punching or pilot drilling

SKU	PIECES	SIZES	BOX / CTN	SRP
LTXT13GDBX	13 pcs.	1/16-1/4	10/50	₱ 900
LTXT29GDBX	29pcs	1/16-1/2	5/20	₱ 5,300
LTXT21GDBX	21 pcs	1/16-3/8	5/25	₱ 2,300

### Masonry Bit Set



- > Fits all impact or hammer drills with 3 jaws.
- > Chrome vanadium shaft through hardened 50 to 53 HRC.
- > Flute geometry removes dust from the hole quicker.
- > Shot peened, double tempered finish reduces breakage.
- > All tips made with ANSI specifications.

SKU	PIECES	BOX / CTN	SRP
LTXT500DBX	5pcs.	50/100	₱ 280
LTXT500MDBX	5pcs.	50/100	₱ 280

**Masonry Bit Set**



- > Chisel-shaped carbide head
- > S-flute with robust geometry
- > Suitable for drilling building material: Stone, bricks, concrete

SKU	PIECES	BOX / CTN	SRP
LTX11MDBX	11pcs.	20/20	P 410

**Sanding/Grinding Kit 31pc**



- > Specially curated kit all carving and engraving applications
- > Comes with re-useable storage case and 11 accessories
- > Clear lid, storage bin, and removable tray make accessories easy to locate
- > Can stack easily, stand upright, or hang on wall by hook
- > Small footprint saves space

SKU	BOX / CTN	SRP
LTX31SGX	100/100	P 600

**Spade/Flat Bit**



- > Forged and heat treated for long life
- > Reduce vibration and faster cutting
- > Hole in top center of bit for wire pulling
- > Ideal for doors, furniture, lock, etc

SKU	SIZE	BOX / CTN	SRP
LTX600SBX	Set 6pcs	40/80	P 600

**Vacuum HEPA Filter**



- > Designed to take on both wet and dry pick-up
- > High-efficiency filter material
- > Filter meet high standard H13 class filtration, which is washable and reusable
- > Long-lasting cartridge filter
- > Provides more surface area to improve airflow and reduce clogging, effectively improve the air quality for your home
- > Easy to install and remove

SKU	COMPATIBILITY	BOX / CTN	SRP
LT08-2551H	3GAL LT1828P	1/1	P 2,450
LT08-2566H	6GAL LT18128B	8/8	P 2,750

**Acetylene Regulator**



- > One gauge shows pressure for carbonating and dispensing.
- > The other gauge displays how much Oxygen is left.
- > Easy to use dial for pressure adjustment from min to max.

SKU	BOX / CTN	SRP
LTAR223	24/24	P 2,200

**Argon Regulator**



- > Internal use of composite materials, good sealing, safe and reliable.
- > Clear scale, precise, long lifetime

SKU	Type	BOX / CTN	SRP
LTRR016C	Gas Saving	24/24	P 1,900

### Argon Regulator

### Argon Regulator



- > Internal use of composite materials, good sealing, safe and reliable.
- > Clear scale, precise, long lifetime



- > Internal use of composite materials, good sealing, safe and reliable.
- > Clear scale, precise, long lifetime

SKU	TYPE	BOX / CTN	SRP
LTAR825	Regular	1/10	₱ 2,000

SKU	SIZE	BOX / CTN	SRP
LTRR626B	Regular	24/24	₱ 1,800

### C02 Regulator

### C02 Regulator



- > Calibrated for Argon, Helium and Carbon Dioxide gases
- > Polycarbonate flow tube and outer cover are impact resistant for maximum durability



- > Calibrated for Argon, Helium and Carbon Dioxide gases
- > Polycarbonate flow tube and outer cover are impact resistant for maximum durability

SKU	VOLTAGE	BOX / CTN	SRP
LTOR121-220	220V	24/24	₱ 2,500

SKU	Voltage	BOX / CTN	SRP
LTOR121-36	36V	24/24	₱ 2,500

### Oxygen Regulator



- > One gauge shows pressure for carbonating and dispensing, the other gauge displays how much oxygen is left.

SKU	BOX / CTN	SRP
LTOR222	24/24	₱ 1,900



**Welding Accessories**



SKU	BOX / CTN	SRP
BLOW PIPE   LT2000H-1	-	P 2,700
CUTTING ATTACHMENT   LT2000H-2	-	P 3,500
MIXER   LT2000H-3	20/100	P 560
AC CUTTING TIP #1   LT2000H-4	10/250	P 340
WELDING TIP #3   LT2000H-5	50/400	P 340
WELDING TIP #5   LT2000H-6	25/250	P 340
WELDING TIP #7   LT2000H-7	25/250	P 340
TWIN HOSE W/ FITTINGS 15FT   LT2000H-10	-	P 1,200
TIP CLEANER   LT2000H-11	25/250	P 100
FLINT LIGHTER   LT2000H-12	-	P 100
MULTI WRENCH   LT2000H-14	-	P 120
INJECTOR FOR TORCH   LT2000H-16	-	P 75

**Mig Wire**



- Heavy duty
- Fully insulated
- High quality construction
- Can hold electrode up to 1/4" (6.35mm)

SKU	KG	BOX / CTN	SRP
LTX100-8MWX	1kg	1/10	P 900
LTX100-8MWX/S	1kg	1/10	P 1,750
LT250MXT-29	15kg	-	P 6,500
LT250MXT-28	15kg	-	P 4,100

**Magnetic Ground Clamp 500A**



- Powerful magnet attaches security to steel work surfaces
- Pull capacity of 45 lbs
- Portable and easy to use
- High strength and hardness

SKU	VOLTAGE	BOX / CTN	SRP
LTX500MGX	220V	25/25	P 650

**Welding Cable**



- Genuine Lotus® 10 Meter Welding Cable
- With Electrode Holder and Connector
- Compatible with Lotus® Welding Machines
- Aluminum Copper Coated
- Cable size: 25mm x 10m

SKU	SIZE	BOX / CTN	SRP
LTX25-WCX	25mm x 10mm	10/10	P 2,200

**Welding Magnet**



- The holding angle can be set to 45°, 90° and 135°.
- Compact and handy.
- Strong magnetic force over entire length, can be used for general purpose.
- The concave attractive face can hold certain round steel.

SKU	LBS	BOX / CTN	SRP
LHT25WMX	25lbs	10/40	P 220
LHT50WMX	50lbs	10/30	P 370
LHT75WMX	75lbs	10/20	P 550

**Brad Nail**



SKU	SIZE	BOX / CTN	SRP
LTTA10BNX	F10	50/50	P 190
LTTA15BNX	F15	20/20	P 200
LTTA20BNX	F20	25/25	P 220
LTTA25BNX	F25	20/20	P 280
LTTA30BNX	F30	20/20	P 350
LTTA40BNX	F40	10/10	P 400
LTTA50BNX	F50	10/10	P 500

**Brad/Concrete Nail ST Series**



SKU	BOX / CTN	SRP
LTTA32STX	20/20	P 440
LTTA38STX	10/10	P 520
LTTA50STX	10/10	P 680
LTTA64STX	10/10	P 890

**Crown Staple 20GA**



SKU	BOX / CTN	SRP
LTTA1006CSX	40/40	P 200
LTTA1008CSX	20/20	P 210
LTTA1010CSX	20/20	P 230
LTTA1013CSX	20/20	P 320
LTTA1016CSX	20/20	P 330
LTTA1022CSX	20/20	P 390

**Staple Wire JT21**



SKU	SIZE	BOX / CTN	SRP
LTXT600/JT21	6mm	300/300	P 100
LTXT800/JT21	8mm	250/250	P 110
LTXT100/JT21	10mm	250/250	P 120
LTXT120/JT21	12MM	250/250	P 130
LTXT140/JT21	14MM	250/250	P 145

**Staple Wire**



SKU	SIZE	BOX / CTN	SRP
LTXT100/T25	10mm	150/150	P 250
LTXT120/T25	12mm	150/150	P 260
LTXT140/T25	14mm	150/150	P 280
LTXT100/T50	10mm	100/100	P 190
LTXT120/T50	12mm	100/100	P 210
LTXT140/T50	14mm	100/100	P 225
LTXT600/T50	6mm	100/100	P 240
LTXT800/T50	8mm	100/100	P 260